

NASA/TM-2003-206892, Vol. 24



SeaWiFS Postlaunch Technical Report Series

Stanford B. Hooker and Elaine R. Firestone, Editors

Volume 24, SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-23

Elaine R. Firestone and Stanford B. Hooker

National Aeronautics and
Space Administration

Goddard Space Flight Center
Greenbelt, Maryland 20771

August 2003

The NASA STI Program Office ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- **TECHNICAL PUBLICATION.** Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peer-reviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- **TECHNICAL MEMORANDUM.** Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- **CONTRACTOR REPORT.** Scientific and technical findings by NASA-sponsored contractors and grantees.
- **CONFERENCE PUBLICATION.** Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- **SPECIAL PUBLICATION.** Scientific, technical, or historical information from NASA programs, projects, and mission, often concerned with subjects having substantial public interest.
- **TECHNICAL TRANSLATION.** English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results... even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at <http://www.sti.nasa.gov/STI-homepage.html>
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- Write to:
NASA Access Help Desk
NASA Center for Aerospace Information
7121 Standard Drive
Hanover, MD 21076-1320

NASA/TM-2003-206892, Vol. 24



SeaWiFS Postlaunch Technical Report Series

Stanford B. Hooker, Editor
NASA Goddard Space Flight Center, Greenbelt, Maryland

Elaine R. Firestone, Senior Scientific Technical Editor
Science Applications International Corporation, Beltsville, Maryland

Volume 24, SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-23

Elaine R. Firestone
Science Applications International Corporation, Beltsville, Maryland

Stanford B. Hooker
NASA Goddard Space Flight Center, Greenbelt, Maryland

ISSN 1522-8789

Available from:

NASA Center for Aerospace Information
7121 Standard Drive
Hanover, MD 21076-1320
Price Code: A17

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Price Code: A10

ABSTRACT

The Sea-viewing Wide Field-of-view Sensor (SeaWiFS) is the follow-on ocean color instrument to the Coastal Zone Color Scanner (CZCS), which ceased operations in 1986, after an eight-year mission. SeaWiFS was launched on 1 August 1997, onboard the OrbView-2 satellite, built by Orbital Sciences Corporation (OSC). The SeaWiFS Project at the National Aeronautics and Space Administration (NASA) Goddard Space Flight Center (GSFC), undertook the responsibility of documenting all aspects of this mission, which is critical to the ocean color and marine science communities. The start of this documentation was titled the *SeaWiFS Technical Report Series*, which ended after 43 volumes were published. A follow-on series was started, titled the *SeaWiFS Postlaunch Technical Report Series*. This particular volume of the so-called *Postlaunch Series* serves as a reference, or guidebook, to the previous 23 volumes and consists of 4 sections including an errata, an index to key words and phrases, a list of acronyms used, and a list of all references cited. The editors will publish a cumulative index of this type after every five volumes.

1. INTRODUCTION

This is the fourth in a series of indexes, published as a separate volume in the *SeaWiFS Postlaunch Technical Report Series*, and includes information found in the previous 23 volumes of the series. The *SeaWiFS Postlaunch Technical Report Series* has been written under National Aeronautics and Space Administration (NASA) Technical Memorandum (TM) numbers 1998-206892, 1999-206892, and so on, up to the present numbering of 2003-206892, with the year part of the TM number changing with each calendar year of its existence. The volume numbers, authors, and titles of the volumes covered in this index are the following:

Vol. 1: Johnson, B.C., J.B. Fowler, and C.L. Cromer, *The SeaWiFS Transfer Radiometer (SXR)*.

Vol. 2: Aiken, J., D.G. Cummings, S.W. Gibb, N.W. Rees, R. Woodd-Walker, E.M.S. Woodward, J. Woolfenden, S.B. Hooker, J-F. Berthon, C.D. Dempsey, D.J. Suggett, P. Wood, C. Donlon, N. González-Benítez, I. Huskin, M. Quevedo, R. Barciela-Fernandez, C. de Vargas, and C. McKee, *AMT-5 Cruise Report*.

Vol. 3: Hooker, S.B., G. Zibordi, G. Lazin, and S. McLean, *The SeaBOARR-98 Field Campaign*.

Vol. 4: Johnson, B.C., E.A. Early, R.E. Eplee, Jr., R.A. Barnes, and R.T. Caffrey, *The 1997 Pre-launch Radiometric Calibration of SeaWiFS*.

Vol. 5: Barnes, R.A., R.E. Eplee, Jr., S.F. Biggar, K.J. Thome, E.F. Zalewski, P.N. Slater, and A.W. Holmes, *The SeaWiFS Solar Radiation-Based Calibration and the Transfer-to-Orbit Experiment*.

Vol. 6: Firestone, E.R., and S.B. Hooker, *SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-5*.

Vol. 7: Johnson, B.C., H.W. Yoon, S.S. Bruce, P-S. Shaw, A. Thompson, S.B. Hooker, R.E. Eplee, Jr., R.A. Barnes, S. Maritorena, and J.L. Mueller, *The Fifth SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-5), July 1996*.

Vol. 8: Hooker, S.B., and G. Lazin, *The SeaBOARR-99 Field Campaign*.

Vol. 9: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1*.

Vol. 10: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2*.

Vol. 11: O'Reilly, J.E., and 24 Coauthors, *SeaWiFS Post-launch Calibration and Validation Analyses, Part 3*.

Vol. 12: Firestone, E.R., and S.B. Hooker, *SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-11*.

Vol. 13: Hooker, S.B., G. Zibordi, J-F. Berthon, S.W. Bailey, and C.M. Pietras, *The SeaWiFS Photometer Revision for Incident Surface Measurement (SeaPRISM) Field Commissioning*.

Vol. 14: Hooker, S.B., H. Claustre, J. Ras, L. Van Heukelem, J-F. Berthon, C. Targa, D. van der Linde, R. Barlow, and H. Sessions, *The First SeaWiFS HPLC Analysis Round-Robin Experiment (SeaHARRE-1)*.

Vol. 15: Hooker, S.B., G. Zibordi, J-F. Berthon, D. D'Alimonte, S. Maritorena, S. McLean, and J. Sildam, *Results of the Second SeaWiFS Data Analysis Round Robin, March 2000 (DARR-00)*.

- Vol. 16: Patt, F.S., *Navigation Algorithms for the SeaWiFS Mission*.
- Vol. 17: Hooker, S.B., S. McLean, J. Sherman, M. Small, G. Lazin, G. Zibordi, and J.W. Brown, *The Seventh SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-7), March 1999*.
- Vol. 18: Firestone, E.R., and S.B. Hooker, *SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1–17*.
- Vol. 19: Zibordi, G., J-F. Berthon, J.P. Doyle, S. Grossi, D. van der Linde, C. Targa, and L. Alberotanza, *Coastal Atmosphere and Sea Time Series (CoASTS), Part 1: A Tower-Based Long-Term Measurement Program*.
- Vol. 20: Berthon, J-F., G. Zibordi, J.P. Doyle, S. Grossi, D. van der Linde, and C. Targa, *Coastal Atmosphere and Sea Time Series (CoASTS), Part 2: Data Analysis*.
- Vol. 21: Zibordi, G., D. D'Alimonte, D. van der Linde, J-F. Berthon, S.B. Hooker, J.L. Mueller, G. Lazin, and S. McLean, *The Eighth SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-8), September–December 2001*.
- Vol. 22: Patt, F.S., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, W.D. Robinson, G.C. Feldman, S.W. Bailey J. Gales, P.J. Werdell, M. Wang, R. Frouin, R.P. Stumpf, R.A. Arnone, R.W. Gould, Jr., P.M. Martinolich, V. Ransibrahmanakul, J.E. O'Reilly, and J.A. Yoder, *Algorithm Updates for the Fourth SeaWiFS Data Reprocessing*.
- Vol. 23: Hooker, S.B., G. Zibordi, J-F. Berthon, D. D'Alimonte, D. van der Linde, and J.W. Brown, *Tower-Perturbation Measurements in Above-Water Radiometry*.

This volume serves as a reference, or guidebook, to the preceding volumes of the so-called *Postlaunch Series*. It consists of three main sections: a cumulative index to key words and phrases, a glossary of acronyms, and a bibliography of all references cited in the series. An errata section has been added to address issues and needed corrections which have come to the editors' attention since the volumes were first published.

The nomenclature of the index section is a familiar one, in the sense that it is a sequence of alphabetical entries, but it uses a unique format because multiple volumes are involved. Unless indicated otherwise, the index entries refer to some aspect of the SeaWiFS Project or instrument. An index entry is composed of a keyword or phrase followed by an entry field that directs the reader to the possible locations where a discussion of the keyword can be found. The entry field is normally made up of a volume identifier shown in bold face, followed by a page identifier, which is

always enclosed in parentheses:

keyword, **volume**(pages).

If an entry is the subject of an entire volume, the volume field is shown in slanted type without a page field:

keyword, *Vol. #*.

An entry can also be the subject of a complete chapter. In this instance, both the volume number and chapter number appear without a page field:

keyword, **volume**(ch. #).

Figures or tables that provide particularly important summary information are also indicated as separate entries in the page field—even if they fall within an already specified page range. In this case, the figure or table number is given with the page number on which it appears:

keyword, **volume**(Fig. # p. #),

or

keyword, **volume**(Table # p. #).

Furthermore, because of the recursive nature of various topics, an index subentry may be repeated at the bottom of a main heading with the “see also” nomenclature. This directs the reader to a main entry elsewhere in the index for a more in-depth treatment of the topic.

2. ERRATA

Since the issuance of previous volumes, a number of the references cited have changed their publication status, e.g., they have gone from “submitted” to “accepted,” or “in press” to printed matter. In other instances, some part (or parts) of the citation, e.g., the title, authors, or year, has changed. Listed below are the references in question as they were cited in one or more of the first 23 volumes in the series, along with how they now appear in the references section of *this* volume. In addition, the definition of an acronym also appears differently in this volume than how it was originally published.

Original Citation

Biggar, S.F., P.N. Slater, J.M. Palmer, and K.J. Thome, 2001: Unified approach to absolute radiometric calibration in the solar-reflective range. *Remote Sens. Environ.*, (accepted).

Revised Citation

Slater, P.N., Biggar, S.F., J.M. Palmer, and K.J. Thome, 2001: Unified approach to absolute radiometric calibration in the solar-reflective range. *Remote Sens. Environ.*, **77**, 293–303.

Original Citation

Tassan, S., and M. Ferrari, 2002: Sensitivity analysis of the “Transmittance-Reflectance” method for measuring light absorption by aquatic particles retained on filters, *J. Plankton Res.*, (submitted).

Revised Citation

Tassan, S., and M. Ferrari, 2002: A sensitivity analysis of the "Transmittance-Reflectance" method for measuring light absorption by aquatic particles. *J. Plankton Res.*, **24**, 757-774.

Original Citation

Thuillier, G., M. Hersé, P.C. Simon, D. Labs, H. Mandel, and D. Gillotay, 2003: The solar spectral irradiance from 200 to 2400 nm as measured by the SOLSPEC spectrometer from the Atlas 1-2-3 and EURECA missions. *Solar Physics*, (submitted).

Revised Citation

Thuillier, G., M. Hersé, P.C. Simon, D. Labs, H. Mandel, and D. Gillotay, 2003: The solar spectral irradiance from 200 to 2400 nm as measured by the SOLSPEC spectrometer from the Atlas 1-2-3 and EURECA missions. *Solar Physics*, **214**, 1-22.

Original Citation

Van Heukelem, L., and C.S. Thomas, 2000: Computer-assisted HPLC method development with applications to the isolation and analysis of marine phytoplankton pigments. *J. Chrom. A.*, (in press).

Revised Citation

Van Heukelem, L., and C.S. Thomas, 2001: Computer-assisted HPLC method development with applications to the isolation and analysis of marine phytoplankton pigments. *J. Chrom. A.*, **910**, 31-49.

Original Citation

Vidussi, V., H. Claustre, J. Bustillos-Guzmán, and J.C. Marty, 1996: Determination of chlorophylls and carotenoids of marine plankton: separation of chlorophyll *a* from divinyl-chlorophyll *a* and zeaxanthin from lutein. *J. Plankton Res.*, **18**, 2,377-2,382.

and

Vidussi, G., H. Claustre, J. Bustillos-Guzmán, C. Cailliau, and J.C. Marty, 2000: Rapid HPLC method for determination of phytoplankton chemotaxonomic pigments: separation of chlorophyll *a* from divinyl-chlorophyll *a* and zeaxanthin from lutein. *J. Plankton Res.*, **18**, 2,377-2,382.

Revised Citation

Vidussi, F., H. Claustre, J. Bustillos-Guzmán, C. Cailliau, and J.C. Marty, 1996: Determination of chlorophylls and carotenoids of marine phytoplankton: separation of chlorophyll *a* from divinyl-chlorophyll *a* and zeaxanthin from lutein. *J. Plankton Res.*, **18**, 2,377-2,382.

Original Acronym

SIRCUS: Spectral Irradiance and Radiance Responsivity Calibrations Using Uniform Standards.

Revised Acronym

SIRCUS: Spectral Irradiance and Radiance Calibrations with Uniform Standards.

CUMULATIVE INDEX

Unless otherwise indicated, the index entries that follow refer to some aspect of the SeaWiFS instrument or Project.

– A –

- AAOT, 13(1–2, Fig. 2 p. 5, 7, Figs. 9–10 p. 9, Table 3 p. 14); 19(2–6, Fig. 2 p. 5); 23(5, Fig. 1 p. 5, 12–14, Figs. 8–9 p. 13).
- above-water methods, *see* methods, above-water.
- above-water radiometry, Vol. 23.
- data processing methods, 23(ch. 4).
 - horizontal deployment system (HDS), 23(ch. 2).
 - methods, *in situ*, 23(ch. 3).
 - preliminary results, 23(ch. 5).
 - sampling equipment, *in situ*, 23(ch. 1).
 - see also* equipment, *in situ* sampling.
 - see also* data processing methods.
 - see also* HDS.
 - see also* methods.
- absolute calibration, 19(6–7).
- SQM, 17(56–58, Fig. 32 p. 57, Table 12 p. 58).
 - SQM and SQM-II, 17(ch. 8).
 - aperture mapping, SQM-II, 17(55–56, Fig. 31 p. 56).
- AC-9, 3(14–15, Table E1 p. 32); 19(4, 5–6, Table 2 p. 6, 9–10); 20(12); 23(4, 10).
- Acqua Alta Oceanographic Tower, *see* AAOT.
- aerosol correction, 22(51).
- aerosol index, 10(ch. 1).
- Case-2 water, 10(5).
 - potential applications, 10(5).
 - sensitivity studies, 10(3–5, Table 1 p. 4, Fig. 1 p. 4).
- aerosol optical thickness, 9(ch. 9); 10(ch. 6).
- preliminary results, 10(Fig. 26 p. 43, 44, Table 11 p. 44).
 - procedures, 10(40–41, Table 9 p. 41, Fig. 25 p. 42, Table 10 p. 43, 44).
- algorithms:
- atmospheric correction, 9(ch. 8); 22(ch. 5).
 - chlorophyll *a*, 11(ch. 1, ch. 2).
 - coccolithophore, 9(ch. 7).
 - data processing, 9(5).
 - navigation, Vol. 16.
 - PAR product, 22(ch. 8).
 - see also* PAR product.
- along-scan effects, 10(ch. 5).
- atmospheric, 10(34, Figs. 19–21 pp. 35–36, 38).
 - scan angle, 10(Figs. 22–24 pp. 36–37, 38).
- AMT-5, Vol. 2; 3(11).
- ammonium uptake, 2(36–37).
 - biogasses, 2(37–39, Fig. 20 p. 38).
 - biogenic sulphur, 2(39, Fig. 21 p. 40).
 - bottle log, 2(Table C2 p. 57–65).
 - bridge log, scientific, 2(Table B1 pp. 48–56).
 - CHN sample log, 2(Table M1 p. 94).
 - crew members, 2(Table A1 p. 47).
 - cruise participants, 2(108–109).
 - cruise report, Vol. 2.
- AMT-5, *cont.*
- cruise strategy, 2(2–4, Table 1 p. 3).
 - cruise track, 2(4–8, Fig. 1 p. 5).
 - CTD station, 2(Table C1 p. 57).
 - DOC buffer log, 2(Table O1 pp. 95–107).
 - FRRF, 2(27, Table H1 pp. 78–85).
 - Guanidinium buffer log, 2(Table O2 p. 107).
 - instrumentation, 2(19–25, 27).
 - in-water optics, 2(19–24, Fig. 14 p. 23).
 - LoCNESS station log, 2(Table E3 p. 72).
 - microzooplankton, 2(41–43, Fig. 22 p. 42, Table N1 p. 95).
 - nitrate uptake, 2(36–37, Table K1 p. 92).
 - nutrients, 2(35–36, Table J1 p. 92).
 - OPC sample log, 2(Table L1 pp. 92–93).
 - physical oceanography, 2(8–13, Figs. 2–9 pp. 9–12).
 - phytoplankton pigment distributions, 2(31–32, Fig. 18 p. 33).
 - primary productivity, 2(32, 35).
 - research reports, 2(8–43).
 - ROSSA, 2(14, 16–19, Fig. 12 p. 16, Fig. 13 p. 18).
 - SeaFALLS station log, 2(Table E2 pp. 69–71).
 - SeaOPS station log, 2(Table E1 pp. 67–69).
 - seawater filtration, 2(27, 31, Table I1 p. 78).
 - SeaWiFS, calibration and validation of, 2(43–46, Fig. 23 pp. 45–46).
 - station filtration log, 2(Table I2 pp. 85–91).
 - sun photometer, 2(25–27, Figs. 16–17 pp. 28–30, Table F1 pp. 73–77).
 - surface optics, 2(24–25, Fig. 15 p. 25).
 - TOPEX, 2(13–14, Figs. 10–11 p. 15).
 - UOR optics, 2(27).
 - XBT casts, 2(Table D1 pp. 65–67).
 - XOBT cast log, 2(Table G1 p. 77).
 - zooplankton, 2(39–41, Table M1 p. 94).
- archived products, 9(Table 2 pp. 8–9).
- Atlantic Meridional Transect, *see* AMT-5.
- atmospheric correction, 22(ch. 5).
- aerosol look-up tables, 9(58–60, Table 13 p. 58, Fig. 35 p. 59, Table 14 p. 60, Fig. 36 p. 61).
 - Ångström exponent, 9(62–63, Fig. 37 p. 62).
 - coastal waters, 22(ch. 9).
 - conclusions, 22(59).
 - Rayleigh tables, 9(62).
 - transmittance tables, 9(60).
 - water absorption, 22(52, Table 9 p. 52).
 - whitecap contributions, 9(60, 62).
- atmospheric correction algorithm, 9(57–58); 22(ch. 5, 52–56, Figs. 33–35 pp. 55–56).
- aerosol modeling ambiguity, 22(33).
 - clear conditions, 22(30–31).
 - Fresnel transmittance, 22(Fig. 25 p. 32, 33).
 - out-of-band correction, 22(31–33, Fig. 24 p. 32).
 - relative noise reduction, 22(29–30, Fig. 23 p. 31).
 - results, 22(56–59, Figs. 36–41 pp. 57–59).
 - updates, 9(ch. 8).
- atmospheric optical characteristics, 20(4–6).
- atmospheric transmittance, 5(9, Figs. 4–5 pp. 10–11).

atmospheric transmittance, *cont.*

diffuser, 5(9–11, Tables 1–4 pp. 11–12).

attitude control system:

sensor processing, 16(Table 1 p. 5, 5–10, Fig. 1 p. 6, Fig. 2 p. 8, Fig. 3 p. 9).

orbit processing, 16(2–5).

– B –

band 7:

band 8 accuracy, 9(39, Table 10 p. 39).

calibration method, 9(40–41, Fig. 26 p. 40, Figs. 27–28 p. 41).

vicarious calibration, 9(ch. 5).

bilinear gain knee calibration, 9(ch. 2, Fig. 4 p. 15, Tables 3–4 p. 16).

biogeochemical analysis, 23(11).

– C –

calibration, Vol. 7; Vol. 9; Vol. 10; Vol. 11.

absolute, 19(6–7).

A/D, 7(Table 3 p. 7, 47, 49, Fig. 30 p. 50).

band 7, 9(ch. 5).

bilinear gain knee, 9(ch. 2).

comparison, Optronic vs. NIST, 17(61).

chronology and methods, 9(Fig. 1 p. 10).

coefficients, 7(66).

field, 7(25–26, Fig. 16 p. 26, 32–34, Fig. 22 p. 33, Table 24 p. 35).

lamp, 7(49–50, Fig. 31 p. 51).

lunar, 9(ch. 3).

near infrared, 9(44).

NIST, 7(50–63, Table 35 p. 52, Tables 36–49 pp. 54–57, Tables 50–53 p. 58, Table 54 p. 59, Figs. 32–35 pp. 60–62, Table 55 p. 63).

on-orbit, 22(ch. 2).

overview, 9(ch. 1).

solar, 9(ch. 4).

time series, 9(24, Figs. 10–13 pp. 25–26, 29).

vicarious, 9(ch. 5, ch. 6); 22(6–7, ch. 3).

visible band, 9(44–50, Figs. 29–31 pp. 46–49, Table 11 p. 49).

see also AMT-5, SeaWiFS.

see also vicarious calibration.

Calibration and Validation Team, *see* CVT.

CE-318, *see* sun photometer.

chlorophyll *a* algorithm, 11(ch. 1, ch. 2).

initial, updated [OC2v2], 11(ch. 1).

in situ data set, 11(10–15, Table 2 pp. 11–12, Tables 3–4 pp. 12–14, Fig. 5 p. 14, Figs. 6–7 p. 16, Fig. 8 p. 17, Tables 5–7 p. 20).

OC2 and OC4, 11(15, Figs. 8–9 pp. 17–18, 19, Figs. 10–14 pp. 21–23).

revised [OC4v4], 11(ch. 2).

SeaBAM data set, 11(3–7, Figs. 1–3 pp. 4–5, Table 1 p. 6, 7–8, Fig. 4 p. 7).

chlorophyll *a* match-up analysis, 10(ch. 7).

methods, 10(46–52, Fig. 27 p. 47, Fig. 28 pp. 49–50, Tables 12–14 pp. 50–51).

CHORS immersion factor method, 21(ch. 2).

CIMEL (CE-318), *see* sun photometer.

clear-water:

analyses, 10(ch. 4).

radiance, 10(29, Table 9 p. 29, Fig. 12 p. 30).

time-series, 10(Figs. 12–18 pp. 30–33, 33).

cloud-top radiance, 9(ch. 2, Fig. 3 p. 14).

Coastal Atmosphere and Sea-Time Series, *see* COASTS.

CoASTS, Vol. 19; Vol. 20.

AAOT, 19(2–6, Fig. 2 p. 5).

conclusions, 19(23); 20(20).

data analysis, 20(2–17).

data and methods, 20(2).

data measurements, 19(13).

discussion, 20(17–20, Figs. 10–11 p. 18, Fig. 12 p. 19, Fig. 13 p. 20).

environmental characteristics, 19(2–4, Table 1 p. 3, Fig. 1 p. 4, Fig. 2 p. 5).

environmental effects, 19(10–11).

instruments and methods, 19(5–19).

measurement plan, 19(3, Fig. 3 p. 1).

measurement perturbations, 19(9–10).

measurements, 19(4–5, 11–19, Table 5 p. 11, Fig. 4 p. 13, Fig. 5 p. 15, Table 6 p. 15, Table 7 p. 16, Fig. 6 p. 17, Table 8 p. 18, Tables 8–9 p. 19).

objectives, 19(3).

optical properties, marine apparent, 20(16–17, Fig. 9 p. 17).

optical properties, marine inherent, 20(12–16, Fig. 7 pp. 13–14, Table 3 p. 14).

pigment measurements, 19(16–18, Fig. 6 p. 17, Table 8 p. 17).

sample data, 19(19–23, Figs. 7–9 pp. 20–22).

site characteristics, 19(3–4, Table 1 p. 4).

subsurface values, 19(7–9, Fig. 3 p. 8).

coccolithophore:

algorithm, updated, 9(ch. 7).

tests, 9(51–56, Table 12 p. 52, Figs. 32–34 pp. 53–55).

cumulative index, Vol. 6; Vol. 12; Vol. 18.

CVT, 9(ch. 1).

activities, 9(Table 1 pp. 6–8).

– D –

DalBOSS, 3(11–13, Figs. 10–11 p. 12, Fig. 13 p. 15, Table G1 pp. 34–35); 8(3, Table 1 p. 3, Fig. 1 p. 5, 12–13, Figs. 11–12 p. 12, 15, Fig. 13 p. 15).

deployment log, 8(Table B1 pp. 25–27).

DalSAS, 3(10–11, Fig. 9 p. 11, Table F1 pp. 33–34).

DARR-94, 15(1, 4).

DARR-00, Vol. 15.

calibrated optical measurements, 15(9, Figs. 5–7 pp. 10–12, Figs. 8–10 pp. 13–15).

conclusions, 15(45).

database, 15(Table B1 p. 67).

discussion, 15(40–45, Fig. 14 pp. 41–42, Fig. 15 pp. 43–44).

GSFC data processing system, 15(ch. 2).

instrumentation, 15(5–8).

JRC data processing system, 15(ch. 3, Fig. 17 p. 54).

methods, 15(9, 16).

ProSoft optical data processor, 15(ch. 4).

DARR-00, *cont.*

results, nonstandard, **15**(29-40, Table 18 p. 30, Table 19 p. 32, Fig. 13 pp. 34-35, Table 20 p. 36, Tables 21-22 pp. 38-39).
 results, standard (V1), **15**(16-29, Table 3 p. 17, Tables 4-5 p. 18, Tables 6-7 p. 20, Fig. 11 p. 21, Tables 8-9 p. 22, Fig. 12 p. 23, Tables 10-11 p. 24, Tables 12-15 pp. 26-27, Tables 16-17 pp. 28-29).

science team, **15**(66).

see also instrumentation.

see also LoCNESS.

see also miniNESS.

see also SeaOPS.

see also THOR.

see also WiSPER.

data:

collection, **21**(11, Table 4 p. 11, 15, Table 7 p. 15, 20, Table 10 p. 20).

presentation, **21**(24).

processing, **21**(11, 15, 20).

set, **21**(29-30, Table 12 p. 30).

see also SIRREX-8.

data analysis:

MOBY, **9**(ch. 6).

SIRREX-8, **21**(30-32, Tables 13-14 p. 31, Tables 15-16 p. 33).

see also SIRREX-8.

data analysis round-robin, *see* DARR-94 and DARR-00.

data analysis system:

GSFC, **15**(ch. 2).

JRC, **15**(ch. 3).

data policy:

SeaWiFS Project, *in situ*, **12**(4-5).

data processing methods:

advances in, **23**(ch. 4).

exact $[L_w]_N$ formulation, **23**(21-23).

irradiance ratio, **23**(20-21, Fig. 11 p. 21).

data screening procedures, **22**(20-21).

detector-based radiometry, *see* SXR.

diffuse attenuation coefficient, **11**(ch. 3).

data and methods, **11**(25).

results, **11**(25, Figs. 15-16 p. 26).

- E -

effects:

environmental, **23**(27-28, Fig. 17 p. 28).

far-field, **23**(24-27, Fig. 12 p. 25, Figs. 13-14 p. 26).

near-field, **23**(27, Figs. 15-16 p. 27).

environmental:

characteristics, **19**(2-4, Table 1 p. 3, Fig. 1 p. 4, Fig. 2 p. 5).

effects, **19**(10-11); **23**(27-28, Fig. 17 p. 28).

equipment:

in situ sampling, **23**(ch. 1).

- F -

far-field effects, **23**(24-27, Fig. 12 p. 25, Figs. 13-14 p. 26).

flags, **22**(6, ch. 6).

effect analysis, **22**(34-36, Table 7 p. 36).

flags, *cont.*

level-2 changes, **22**(36-39, Fig. 26 p. 38).

level-3 changes, **22**(39).

summary, **22**(39-40, Fig. 27 p. 40).

- G -

global clear-water analyses, **10**(ch. 4).

glossary:

cumulative, **6**(5-7); **12**(10-13); **18**(10-14).

ground measurements, **5**(11-12).

- H -

HDS, **23**(Fig. 2 p. 6, ch. 2).

description, **23**(12-14, Figs. 8-9 p. 13, Fig. 10 p. 14, Table 3 p. 14).

horizontal deployment system, *see* HDS.

Horn Point Laboratory, *see* HPL.

HPL:

quantitative equation, **14**(38).

HPLC Analysis Round Robin, Vol. 14.

column characteristics, **14**(Table 3 p. 7).

conclusions, **14**(18-20, Tables 10-11 p. 19, 26, 29, 32, 35).

data set, **14**(5-7).

extraction specifications, **14**(Table 2 p. 7).

methods, **14**(7-8).

results, **14**(8-18).

solvent systems, **14**(Table 4 p. 7).

UPD values, **14**(Fig. 2 p. 9, Table 5 p. 10, Fig. 3 p. 11, Table 6 p. 11, Fig. 4 p. 12, Table 7 p. 12, Fig. 5 p. 13, Figs. 6-7 pp. 14-15, Figs. 8-9 p. 16, Fig. 10 p. 17, Table 8 p. 17, Table 11 p. 19).

see also SeaHARRE.

HPLC manufacturers, **14**(37-38).

HPLC technique, **3**(15-16, Table E1 p. 32; **23**(4).

HYDROSCAT-6, **23**(10).

- I -

immersion factor:

CHORS immersion factor method, **21**(ch. 2).

computing, **21**(ch. 5).

JRC method, **21**(ch. 3).

Satlantic method, **21**(ch. 4).

in-air studies, **7**(13-25, Figs. 4-5 p. 14, Fig. 6 p. 17, Tables 7-10 p. 18, Figs. 7-12 pp. 19-21, Tables 11-16 pp. 22-26, Figs. 13-15 pp. 23-24).

analysis, **7**(17-18).

measurement principles, **7**(15-16).

results, **7**(18-22, Tables 7-10 p. 18, Figs. 7-12 pp. 19-21, Tables 11-16 pp. 22-26, Figs. 13-15 pp. 23-24).

index entries, **6**(3-4); **12**(6-9); **18**(4-9).

index volumes, Vol. 6; Vol. 12; Vol. 18.

in situ methods, **23**(ch. 2).

in situ sampling equipment, **23**(ch. 1).

instrumentation:

AMT cruise, **2**(19-25, 27).

ancillary, **23**(11).

instrumentation, *cont.*

- AOP, **23**(5–9, Figs. 3–4 p. 7, Figs. 5–6 p. 8, Fig. 7 p. 9, Table 1 p. 9, Table 2 p. 10).
 atmospheric, **23**(11).
 DARR-00, **15**(5–8).
 IOP, **23**(10–11).
 SeaBOARR-98, **3**(2–17, Table 1 p. 3, Fig. 1 p. 4, Table 2 p. 4, Fig. 2 p. 5, Fig. 3 p. 6, Figs. 4–5 p. 7, Figs. 6–7 pp. 8–9, Figs. 8–9 pp. 10–11, Figs. 10–12 pp. 12–13, Fig. 13 p. 15, Figs. 14–15 p. 17).
 SeaBOARR-99, **8**(3–14, Table 1 p. 3, Tables 2–3 p. 4, Fig. 1 p. 5, Figs. 2–3 p. 6, Fig. 4 p. 7, Figs. 5–6 p. 8, Figs. 7–8 p. 9, Fig. 9 p. 10, Fig. 10 p. 11, Figs. 11–12 p. 12, Fig. 13 p. 15).
 SeaPRISM, **13**(2–10, Table 1 p. 3, Table 2 p. 10, Fig. 1 p. 4, Figs. 2–3 p. 5, Fig. 4 p. 6, Figs. 5–6 p. 7, Figs. 7–8, p. 9, Figs. 9–10 p. 9, Figs. 11–12 p. 10, Table 4 p. 16, Table 5 pp. 15–17, Figs. 13–14 p. 18, Fig. 15 p. 19).
 SIRREX-7, **17**(ch. 2).
 tower-perturbation measurements, **23**(ch. 1).
see also SeaPRISM.
see also SIRREX-7.
 integrating sphere sources, Vol. 1; Vol. 4.
see also SXR.
 intercalibration, Vol. 7.
 interference filter, *see* SXR.
 in-water methods:
see methods, in-water.
see SeaPRISM.
 in-water studies, **7**(8–13, Fig. 1 p. 9, Table 5 p. 10, Fig. 2 p. 11, Fig. 3 p. 13, Table 6 p. 13).
 results, **7**(12–13).
 irradiance, **7**(59, Table 54 p. 59).
 irradiance calibrations, uncertainties, **17**(ch. 6).
 ambient measurements, **17**(44–46, 63).
 experimental setup, **17**(Fig. 21 p. 43, Fig. 23 p. 45).
 repeatability, **17**(42–44).
 irradiance field source, **7**(25–34).
 field calibrator, **7**(25–26, Fig. 16 p. 26, Table 23 p. 33).
 irradiance values, **7**(Table 17 p. 27).
 results, **7**(27–34, Tables 18–19 p. 28, Fig. 17 p. 29, Table 20 p. 29, Fig. 18 p. 30, Table 21 p. 30, Figs. 19–21 p. 32, Table 22 p. 32, Fig. 22 p. 33, Table 23 p. 33).
see also calibration, field.

– J –

JRC immersion factor method, **21**(ch. 3).

– K –

K(490), *see* diffuse attenuation coefficient.

– L –

LAC products:

- comparison of, **22**(ch. 10).
 conclusions, **22**(67).
 methods, **22**(60–62).
 results, **22**(62–67, Figs. 43–47 pp. 63–67).
 study area, NEC, **22**(60, Table 10 p. 61, Fig. 42 p. 61).
 lamp standards, **17**(ch. 3).

lamp standards, *cont.*

- experimental setup, **17**(Fig. 4 p. 24).
 uncertainties, **17**(23, 59–61).
 LoCNESS, **8**(3–6, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 5, 7–8, Fig. 4 p. 7, 16, Fig. 14 p. 19); **15**(5, 6, Fig. 2 p. 6, 7, 8, Table B1 p. 67); **23**(5, 7).
 data file, **15**(Fig. 16 p. 48).
 deployment log, **8**(Table C1 pp. 27–29).
 station log, **2**(Table E3 p. 72).
 lunar calibration, *see* calibration, lunar.
 lunar data analysis, **9**(ch. 3).
 normalizing factors, **9**(18–20, Figs. 6–8 pp. 21–22, Fig. 9 p. 23); **22**(14, 17–18, Figs. 11–12 p. 18).
 time corrections, **9**(24, Figs. 10–13 pp. 25–26).

– M –

Marine Environmental Radiometer, *see* MER.

masks, **22**(6, 7, ch. 6).

changes, **22**(Table 6 p. 35).

see also flags.

measurement:

- cosine response, **21**(ch. 6).
 plan, **19**(3, Fig. 3 p. 1).
 perturbations, **19**(9–10).
 protocol, **21**(10–11, Table 3 p. 11, 14–15, Table 6 p. 15, 19–20, Table 9 p. 20).
 system, **21**(17–19, Fig. 4 p. 18, Table 8 p. 19).
 MER, **11**(ch. 4).
 ICES facility and methods, **11**(28–33, Fig. 17 p. 30, Table 8 p. 31, Fig. 18 p. 32, Table 9 p. 33).
 immersion effects, **11**(43, Table 15 p. 44, Fig. 26 p. 44).
 long-term averages, **11**(41–43, Tables 12–13 p. 42, Table 14 p. 43).
 plaque aging, **11**(Fig. 24 p. 40, 43, 45).
 quality control measures, **11**(45, Fig. 27 p. 45).
 results, **11**(33–41, Fig. 19 p. 34, Fig. 20 p. 36, Table 10 p. 37, Figs. 21–24 pp. 38–40, Fig. 25 p. 41, Table 11 p. 41).

methods:

- above-water, **23**(16).
 ancillary, **23**(19).
 AOP, **23**(15–17).
 atmospheric, **23**(18–19).
 biogeochemical, **23**(18).
 CDOM, **23**(18).
 data processing, *see* data processing methods.
in situ, **23**(ch. 3).
 in-water, **23**(16).
 IOP, **23**(17–18).

MFR-6, **3**(17, Fig. 15 p. 17 table E1 p. 32); **19**(4, 7, 11).

microNESS, **23**(4, 7–8, Table 1 p. 9, Table 2 p. 10).

microSAS, **23**(4, 8–9, Fig. 6 p. 8, Table 1 p. 9, Table 2 p. 10, Tables B1–B2 p. 30).

miniNESS, **13**(2, 3, Table 1 p. 3, 4–6, Table 2 p. 4, Fig. 2 p. 5, Fig. 3 p. 5, Fig. 4 p. 6); **15**(5, 7, Fig. 3 p. 7, 8, Table 2 p. 8, 9, Table B1 p. 67); **23**(4, 7, Fig. 3 p. 7, Table 1 p. 9, Table 2 p. 10).

mirror-side correction, **22**(19, Fig. 13 p. 19).

MOBY, 1(1–2).

- data analysis, **9**(ch. 6).
- stray light correction, **22**(6, 20–22, Fig. 14 p. 22).
- vicarious gains, **22**(21–22, Fig. 15 p. 22).
- see also* calibration.

– N –

navigation, *Vol. 16.*

- algorithms, **16**(1–2).
- near-field effects, **23**(27, Figs. 15–16 p. 27).
- near-infrared, *see* NIR.
- NIR correction, **22**(7, 21, ch. 4, ch. 9).
 - absorption coefficients, **22**(27–28, Fig. 22 p. 27, Table 5 p. 28).
 - backscatter model, **22**(26–27).
 - concept, **22**(53).
 - scaling factor, **22**(28).
- NIR iteration:
 - application, **22**(54, 56).
 - bio-optical models, **22**(53–54, Figs. 33–35 pp. 55–56).
 - control, **22**(28).
 - results, **22**(56–59, Figs. 36–41 pp. 57–59).
- NIR noise reduction, **22**(7).
- normalized water-leaving radiance, **10**(ch. 7).

– O –

operational SeaWiFS processing, **10**(ch. 3).

- fourth reprocessing, *Vol. 22.*
- second reprocessing, **10**(12–18, Table 3 p. 13, Fig. 5 p. 16, Fig. 6 p. 17, Table 7 p. 24).
- third reprocessing, **10**(18–28, Table 4 p. 19, Table 5 p. 23, Table 6 p. 23, Table 7 p. 27, Figs. 7–9 pp. 25–26, Figs. 10–11 p. 27).
- optical characteristics, atmospheric, **20**(4–6).
- optical properties:
 - marine apparent, **20**(16–17, Fig. 9 p. 17).
 - marine inherent, **20**(12–16, Fig. 7 pp. 13–14, Table 3 p. 14).
 - see also* CoASTS.
- optics:
 - in-water, **2**(19–24, Fig. 14 p. 23); **7**(8–13, Fig. 1 p. 9, Table 5 p. 10, Fig. 2 p. 11, Fig. 3 p. 13, Table 6 p. 13).
 - surface, **2**(24–25, Fig. 15 p. 25).
- orbit processing, **16**(2–5).
- ozone, *see* TOMS ozone.

– P –

PAR product, 22(ch. 8).

- algorithm description, **22**(46–48).
- in situ* match-up comparison, **22**(Figs. 30–32 p. 48, Table 8 p. 49, 49–50).
- phytoplankton pigment:
 - concentration, **20**(6–9, Table 2 p. 7, Fig. 4 pp. 8–9).
 - distributions, **2**(31–32, Fig. 18 p. 33).
- photosynthetically available radiation, *see* PAR product.
- pigment measurements, **19**(16–18, Fig. 6 p. 17, Table 8 p. 17).
- plaque lab, **7**(34–46).

plaque lab, *cont.*

- results, **7**(36–46, Tables 25–27 p. 37, Fig. 23 p. 38, Tables 28–30 p. 39, Figs. 24–27 pp. 40–43, Tables 31–32 p. 44, Fig. 28 p. 45, Table 33 p. 46, Table 34 p. 47).
- see also* SIRREX-5.
- plaque standards:
 - experimental setup, **17**(Fig. 9 p. 29).
- plaque uniformity, **17**(31–33).
 - experimental setup, **17**(Fig. 11 p. 32).
- primary productivity, **2**(32, 35).
- processing changes, level-1a and level-3, **22**(ch. 7).
 - navigation update, **22**(43–44, Figs. 28–29 pp. 44–45).
 - spacebin modifications, **22**(44–45).
 - time tag glitch handling, **22**(41–43).
- product:
 - archived, **9**(Table 2 pp. 8–9).
 - evaluations, **9**(9).
 - quality control (QC), **9**(11).
 - validation, **9**(10–11).
 - see also* QC products.
- PROSOPE cruise, **14**(4, Fig. 1 p. 5, Table 1 p. 5)).
- see also* SeaHARRE.

– Q –

- QC products, **9**(11).

– R –

radiance, **7**(59).

- cloud-top, **9**(ch. 2, Fig. 3 p. 14).
- normalized water-leaving, **10**(ch. 7).
- radiance calibrations, uncertainties:
 - ambient measurements, **17**(37–41).
 - ambient measurements, experimental setup, **17**(37–41, Fig. 17 p. 38, Fig. 18 p. 39).
 - experimental setup, **17**(Fig. 15 p. 36).
 - repeatability, **17**(35–37).
- radiometer, *Vol. 7.*
 - see also* SXR.
- radiometric calibration, *Vol. 4; Vol. 5; Vol. 7.*
 - 1993 calibration, **4**(2–6, Tables 1–3 p. 3, Table 4 p. 4); **5**(13, Table 5 p. 13, Figs. 6–7 p. 15, Table 15 p. 18).
 - 1997 calibration, **5**(13, Table 5 p. 13, Figs. 6–7 p. 15, Table 15 p. 18).
 - measurement procedures, **4**(9–14, Table 8 p. 13).
 - SeaWiFS results, **4**(21–38, Tables 14–15 pp. 24–25, Tables 16–17 pp. 26–27, Figs. 6–8 pp. 29–30, Tables 18–21 pp. 31–33, Tables 22–23 p. 35, Figs. 9–11 pp. 36–38).
 - SXR, **4**(6–7, Table 6 p. 7, 10, 12–17, Figs. 1–2 pp. 15–16, Table 10 p. 17, Fig. 3 p. 18, 18–19).
 - test equipment, **4**(6–9, Table 6 p. 7, Table 7 p. 8).
 - uncertainty analysis, **4**(39–43, Tables 24–29 pp. 40–43, Figs. 12–13 pp. 45–46).

references:

- cumulative, **6**(9–13); **12**(6–9); **18**(15–26).

reflectance equations:

- band-averaged center wavelength, **5**(5–6).
- band-averaged spectral radiance, **5**(5).

reflectance equations, *cont.*

BRDF, 5(3–4, Fig. 1 p. 4).

SBRC basic equation, 5(6, Fig. 2 p. 7).

solar radiation-based calibration, 5(3–6).

spectral response, 5(4–5).

transfer-to-orbit experiment, 5(22, Tables 19–20 p. 23).

reprocessing, fourth, Vol. 22.

atmospheric correction algorithm, 22(ch. 5).

atmospheric correction, coastal water, 22(ch. 9).

conclusions, 22(10–11, 59, 67).

LAC products comparison, 22(ch. 10).

masks and flags, 22(ch. 6).

motivation, 22(5–6).

NIR correction, modifications, 22(ch. 4).

on-orbit calibration, 22(ch. 2).

PAR product, 22(ch. 8).

processing changes, level-1a and level-3, 22(ch. 7).

solutions, 22(6–8).

summaries, 22(19, 25, 39–40, Fig. 27 p. 40).

testing and evaluation, 22(8–9, Table 1 p. 9).

vicarious calibration, 22(ch. 3).

see also atmospheric correction.

see also NIR.

see also PAR product.

see also processing changes.

see also vicarious calibration.

reprocessing, third, Vol. 9; Vol. 10; Vol. 11.

rotation and polarization, uncertainties, 17(ch. 7).

experimental setup, 17(Fig. 26 p. 49, Fig. 27 p. 50, Fig. 29 p. 52).

polarization effects, 17(51–53, Table 11 p. 53, 63).

rotation effects, 17(47–51, Table 10 p. 51, 63).

round-robin experiment, Vol. 7; Vol. 17; Vol. 21.

see also SIRREX.

– S –

Satlantic immersion factor method, 21(ch. 5).

SeaBOARR, Vol. 3; Vol. 8; 13(2).

DalBOSS, 3(11–13, Figs. 10–11 p. 12, Fig. 13 p. 15, Table G1 pp. 34–35); 8(3, Table 1 p. 3, Fig. 1 p. 5, 12–13, Figs. 11–12 p. 12, 15, Fig. 13 p. 15, Table B1 pp. 25–27).

DalSAS, 3(10–11, Fig. 9 p. 11, Table F1 pp. 33–34).

instrumentation, 3(2–17, Table 1 p. 3, Fig. 1 p. 4, Table 2 p. 4, Fig. 2 p. 5, Fig. 3 p. 6, Figs. 4–5 p. 7, Figs. 6–7 pp. 8–9, Figs. 8–9 pp. 10–11, Figs. 10–12 pp. 12–13, Fig. 13 p. 15, Figs. 14–15 p. 17); 8(3–14, Table 1 p. 3, Tables 2–3 p. 4, Fig. 1 p. 5, Figs. 2–3 p. 6, Fig. 4 p. 7, Figs. 5–6 p. 8, Figs. 7–8, p. 9, Fig. 9 p. 10, Fig. 10 p. 11, Figs. 11–12 p. 12, Fig. 13 p. 15).

methods, 3(18–24, Fig. 16 p. 19, Table 3 p. 20, Table 4 p. 22); 8(14–19, Tables 4–5 p. 18).

preliminary results, 3(24–26, Table 5 p. 24, Fig. 17 p. 25); 8(19–22, Fig. 14 p. 19, Table 6 pp. 20–21, Fig. 15 p. 21, Fig. 16 p. 22, Tables 7–8 p. 22, Fig. 17 p. 23).

science team, 3(27); 8(24).

SeaBOSS, 8(3–7, Table 1 p. 3, Table 3 p. 4, Table B1 pp. 25–27).

SeaBOARR, *cont.*

SeaFALLS, 2(Table E2 pp. 69–71); 8(3–7, Table 1 p. 3, Table 3 p. 4, Fig. 1 p. 5, Fig. 3 p. 6, Fig. 5 p. 8, Fig. 13 p. 15, 16, Fig. 14 p. 19, Table B1 pp. 25–27).

SeaSAS, 3(7–8, Figs. 4–6 pp. 7–8, Table C1 pp. 30–31); 8(3–6, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 5, 8–9, Fig. 6 p. 8, Fig. 7 p. 9, 16–17, Table D1 pp. 30–36).

SeaSHADE, 8(3–6, Table 1 p. 3, 8, 9, 11, Fig. 10 p. 11).

SQM-II, 3(13–14, Fig. 13 p. 15, 23–24, Table H1 p. 35–36).

SUNSAS, 8(3–6, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 5, 9–11, Fig. 8 p. 9, Fig. 9 p. 10, 16–17, Table E1 pp. 37–43).

see also miniNESS.

see also sun photometer.

see also THOR.

see also WiSPER.

SeaBOSS, 8(3–7, Table 1 p. 3, Table 3 p. 4).

deployment log, 8(Table B1 pp. 25–27).

SeaFALLS, 8(3–7, Table 1 p. 3, Table 3 p. 4, Fig. 1 p. 5, Fig. 3 p. 6, Fig. 5 p. 8, Fig. 13 p. 15, 16, Fig. 14 p. 19, Table B1 pp. 25–27).

deployment log, 8(Table B1 pp. 25–27).

station log, 2(Table E2 pp. 69–71).

SeaHARRE, Vol. 14.

analysis, 14(22, Table 12 p. 22, 27–28, Table 15 p. 28, 30–31, Table 17 p. 31, 33–34, Table 19 p. 33).

calibration standards, for pigments, 14(22–25, Table 13 pp. 23–24, Table 14 p. 25, 28, Table 16 p. 28, 31, Table 18 p. 31, 34, Table 20 p. 34).

data products, 14(25, 29, 31–32, 34–35).

extraction, 14(21–22, 27, 30, 33).

HPL method, 14(ch. 2).

JRC method, 14(ch. 3).

LPCM method, 14(ch. 4).

MCM method, 14(ch. 5).

pigment abbreviations, 14(37).

PROSOPE cruise, 14(4, Fig. 1 p. 5, Table 1 p. 5).

science team, 14(36).

validation, 14(25, 28–29, 31, 34).

see also HPLC Analysis Round Robin.

SeaOPS, 15(5, 6, Fig. 1 p. 6, 8, Table B1 p. 67).

station log, 2(Table E1 pp. 67–69).

SeaPRISM, Vol. 13; 23(4, 5).

above-water methods, 13(11–14).

deployment logs summary, 13(Table 5 pp. 15–17).

field commissioning, 13(2).

field team, 13(20–21).

instrumentation, 13(2–10, Table 1 p. 3, Table 2 p. 10, Fig. 1 p. 4, Figs. 2–3 p. 5, Fig. 4 p. 6, Figs. 5–6 p. 7, Figs. 7–8 p. 9, Figs. 9–10 p. 9, Figs. 11–12 p. 10, Table 4 p. 16, Table 5 pp. 15–17, Figs. 13–14 p. 18, Fig. 15 p. 19); 23(9, Fig. 7 p. 9, Table 1 p. 9, Table 2 p. 10).

in-water methods, 13(10–11).

preliminary results, 13(14–19, Table 4 p. 14, Table 5 pp. 15–17, Figs. 13–14 p. 18, Fig. 15 p. 19).

protocols, 13(13–14).

see also miniNESS.

see also sun photometer.

see also WiSPER.

SeaPRISM, *cont.*

see also SUnSAS.

SeaSAS, 3(7–8, Figs. 4–6 *pp.* 7–8, Table C1 *pp.* 30–31); 8(3–6, Table 1 *p.* 3, Table 2 *p.* 4, Fig. 1 *p.* 5, 8–9, Fig. 6 *p.* 8, Fig. 7 *p.* 9, 16–17, Table D1 *pp.* 30–36).

SeaSHADE, 8(3–6, Table 1 *p.* 3, 8, 9, 11, Fig. 10 *p.* 11).

SeaWiFS Bio-Optical Algorithm Round-Robin, *see* SeaBOARR.

SeaWiFS Quality Monitor, *see* SQM.

SeaWiFS Transfer Radiometer, *see* SXR.

SIMBAD, 13(2–5, Table 1 *p.* 3, Table 2 *p.* 4, Fig. 2 *p.* 5).
protocols, 13(12–13).

SIRREX, Vol. 7; Vol. 17.

SIRREX-1, 7(1–3).

SIRREX-2, 7(1–3).

SIRREX-3, 7(1–3).

SIRREX-4, 7(1–3).

SIRREX-5, Vol. 7.

agenda, 7(4–5, Table 1 *p.* 5).

conclusions, 7(67).

in-air studies, 7(13–25, Figs. 4–5 *p.* 14, Fig. 6 *p.* 17, Tables 7–10 *p.* 18, Figs. 7–12 *pp.* 19–21, Tables 11–16 *pp.* 22–26, Figs. 13–15 *pp.* 23–24).

instruments, 7(5–7, Table 2 *p.* 6, Tables 3–4 *p.* 7).

in-water studies, 7(8–13, Fig. 1 *p.* 9, Table 5 *p.* 10, Fig. 2 *p.* 11, Fig. 3 *p.* 13, Table 6 *p.* 13).

irradiance field source, 7(25–34).

NIST calibrations, *see* calibrations, NIST.

participants, 7(67–71).

plaque lab, 7(34–46).

see also plaque lab.

SIRREX-7, Vol. 17.

absolute calibration, SQM and SQM-II, 17(*ch.* 8).

agenda, 17(7–8, Table 2 *p.* 9).

ancillary equipment, 17(22, Table 9 *p.* 22).

bidirectional effects, 17(33–34, 62–63).

commercial radiometers, 17(18).

discussion, 17(*ch.* 9).

experimental setup, 17(Fig. 4 *p.* 24).

facility, 17(8, Fig. 1 *p.* 8, 10, Fig. 2 *p.* 10).

instrumentation, 17(*ch.* 2).

irradiance calibrations, uncertainties, 17(*ch.* 6).

lamps, 17(16–17, Table 5 *p.* 17, Fig. 12 *p.* 32, Fig. 13 *p.* 33).

lamp standards, uncertainties, 17(*ch.* 3, 23, 59–61, Fig. 33 *p.* 60).

objectives, 17(7).

overview, 17(*ch.* 1).

plaques, 17(17–18, Table 6 *p.* 18).

plaque standards, uncertainties, 17(*ch.* 4, Fig. 35 *p.* 62).

procedures, 17(10–15, Table 3 *p.* 11, Table 4 *p.* 12).

radiance calibrations, uncertainties, 17(*ch.* 5, Fig. 35 *p.* 62).

rotation and polarization, uncertainties, 17(*ch.* 7).

science team, 17(65).

SQM-II, 17(21, Table 8 *p.* 21, *ch.* 8).

summary, 17(*ch.* 9, Table 13 *p.* 60, Fig. 33 *p.* 60, 64, Table 14 *p.* 64).

SXR, 17(18–19, Table 7 *p.* 19).

SIRREX-7, *cont.*

uncertainties, 17(23).

XZ-Mapper, 17(21–22).

see also absolute calibration, SQM and SQM-II.

see also irradiance calibrations.

see also lamp standards, uncertainties.

see also plaque standards.

see also radiance calibrations.

see also rotation and polarization, uncertainties.

see also SQM.

see also SQM-II.

SIRREX-8, Vol. 21.

CHORS immersion factor method, 21(*ch.* 2).

conclusions, 21(32–34, Figs. 10–11 *p.* 33, Table 17 *p.* 33).

cosine response measurements, 21(*ch.* 6).

data analysis, 21(30–32, Tables 13–14 *p.* 31, Tables 15–16 *p.* 32).

data collection, 21(11, Table 4 *p.* 11, 15, Table 7 *p.* 15, 20, Table 10 *p.* 20).

data presentation, 21(24).

data processing, 21(11, 15, 20).

data set, 21(29–30, Table 12 *p.* 30).

immersion factor computing, 21(*ch.* 5).

instrumentation, 21(7, Table 1 *p.* 7, Fig. 1 *p.* 7).

JRC immersion factor method, 21(*ch.* 3).

laboratory setup, 21(8–10, Fig. 2 *p.* 9, Table 2 *p.* 10, 12–13, Fig. 3 *p.* 13, Table 5 *p.* 13).

measurement protocol, 21(10–11, Table 3 *p.* 11, 14–15, Table 6 *p.* 15, 19–20, Table 9 *p.* 20).

measurement system, 21(17–19, Fig. 4 *p.* 18, Table 8 *p.* 19).

objectives, 21(6).

overview, 21(*ch.* 1).

preliminary inquiries, 21(25–26, Fig. 7 *p.* 26).

processing requirements, 21(21–22, Fig. 5 *p.* 22).

results, 21(*ch.* 7).

Satlantic immersion factor method, 21(*ch.* 4).

schedule, 21(6–7).

science team, 21(35).

summaries, 21(11, 15–16, 20, 24, 28).

solar data analysis, 9(*ch.* 4).

calibration, 9(28–37, Figs. 15–24 *pp.* 30–34, Fig. 25 *p.* 36).

solar irradiances, 5(7–9, Tables 10–16 *pp.* 17–19).

6S, 5(16, Table 12 *p.* 17, Table 13 *p.* 18, Table 16 *p.* 19).

band-averaged, 5(16, Table 10 *p.* 17, Table 12 *p.* 17, Table 14 *p.* 18).

Fraunhofer lines, 5(19–21, Fig. 9 *p.* 20, Table 18 *p.* 21).

MODTRAN, 5(16, Tables 10–11 *p.* 17, Table 16 *p.* 19).

SeaWiFS, 5(Table 16 *p.* 19).

Thuiller, 5(16, Tables 14–17 *pp.* 18–19, Table 17 *p.* 19).

Wehrli, 5(13–16, Table 7 *p.* 14, Table 9 *p.* 14, Table 16 *p.* 19).

solar radiation-based calibration, 5(1–21).

calibration coefficients, 5(13, Tables 5–9 *pp.* 13–14, Figs. 6–7 *p.* 15, Tables 10–15 *pp.* 17–18).

reflectance equations, 5(3–6).

risks and disadvantages, 5(2).

spectral band-pass:

- analyses, 10(ch. 2).
- corrections, 10(Fig. 4 pp. 9–10, 10–11, Table 2 p. 11).
- distribution, 10(Fig. 3 p. 8).
- effects, 10(8–10).
- response function, 10(Fig. 2 pp. 7–8).

spectral radiance, 4(19–21, Fig. 3 p. 18, Figs. 4–5 p. 20, Tables 11–13 p. 21).

see also SXR.

spectral response, 5(7, Fig. 3 p. 8, 19–21, Fig. 8 p. 19).

SQM, 7(46–47, Fig. 29 pp. 48–49); 8(13–14, Fig. 13 p. 15, 18–19, 22–24, Fig. 17 p. 23, Table F1 pp. 43–44); 17(19–20, Fig. 3 p. 20, ch. 8).

SQM-II:

see SeaBOARR.

see SIRREX-7.

see SQM.

sun glint contamination, 9(ch. 9).

SeaWiFS mask, 9(65).

wind speed data, 9(65, Fig. 38 p. 66).

sun photometer, 2(25–27, Figs. 16–17 pp. 28–30, Table F1 p. 73–77); 3(Table E1 p. 32); 13(2, 3, Table 1 p. 3, Table 2 p. 4, Fig. 2 p. 5, 9–10, Fig. 12 p. 10); 19(4, Table 2 p. 6); 23(11).

SUnSAS, 8(3–6, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 5, 9–11, Fig. 8 p. 9, Fig. 9 p. 10, 16–17, Table E1 pp. 37–43); 13(2–3, Table 1 p. 3, Table 2 p. 4, Fig. 1 p. 4, Fig. 2 p. 5, 7–8, Figs. 7–8, p. 8).

deployment log, 8(Table E1 pp. 37–43).

protocols, 13(11–12).

see also above-water methods.

SXR, Vol. 1; Vol. 4.

description of, 1(1–2, Table 1 p. 2).

electrical subsystems, 1(11–14, Table 3 p. 12, Fig. 9 p. 12, Tables 4–5 p. 13, Table 6 p. 14, Table 7 p. 15).

instrument design, 1(2–16, Table 2 p. 3, Fig. 1 p. 3, Figs. 3–8 pp. 7–9, Fig. 9 p. 12, Table 3 p. 12, Tables 4–5 p. 13, Table 6 p. 14).

measurement channels, 1(4–6, Fig. 2 p. 5).

measurements, 1(50–52, Tables 17–18 p. 52); 4(12–17, Figs. 1–2 pp. 15–16, Table 10 p. 17, Fig. 3 p. 18, 18–19).

measurement wavelengths, 7(Table 27 p. 37).

parts used, 1(Table A1 p. 55).

performance analysis, 1(16–50).

relative flux response, 1(38–43, Table 13 p. 39, Fig. 22 pp. 40–42).

relative spatial response, 1(28–38, Figs. 16–21 pp. 29–37, Tables 11–12 pp. 38–39).

relative spectral response, 1(19–27, Figs. 10–15 pp. 21–26, Tables 9–10 p. 27).

signal voltage, 1(Table 16 p. 46, Fig. 24 pp. 47–49).

spectral radiance, 1(Table 14 p. 44, Table 15 p. 45, Fig. 23 p. 45); 4(Table 6 p. 7, Table 10 p. 17, Fig. 3 p. 18, Fig. 4 p. 20).

studies, 7(59, 63, Table 55 p. 63, Figs. 36–38 pp. 64–65).

– T –

temperature correction, 22(12–14, Figs. 1–2 p. 13, Table 2 p. 13, Figs. 3–10 pp. 15–17).

THOR, 3(6, Fig. 4 p. 7); 8(3, 7, Fig. 5 p. 8); 15(6).

TOMS ozone, 9(ch. 10).

chlorophyll comparison, 9(72, Figs. 44–45 pp. 72–73).

new ozone scheme, 9(69–70, Figs. 41–42 p. 70).

ozone comparison, 9(71–72, Fig. 43 p. 71).

tower-perturbation:

above-water radiometry, Vol. 23.

data processing methods, 23(ch. 4).

emphasis on, 23(4–5).

horizontal deployment system, 23(Fig. 2 p. 6, ch. 2).

in situ methods, 23(ch. 3).

in situ sampling equipment, 23(ch. 1).

instruments used, 23(4–5, 5–11, Fig. 2 p. 6, Figs. 3–4 p. 7, Figs. 5–6 p. 8, Fig. 7 p. 9, Table 1 p. 9, Table 2 p. 10).

measurements, Vol. 23.

preliminary results, 23(ch. 5).

science team, 23(29).

see also data processing methods.

see also HDS.

see also methods.

tower-shading:

correction factors, 19(7–9, Fig. 3 p. 8, Tables 3–4 p. 9).

transfer radiometer, Vol. 1; Vol. 4.

see also SXR.

transfer-to-orbit experiment, Vol. 5.

concept, 5(21).

in-flight measurements, 5(22–25, Fig. 10 p. 24, Table 21 p. 25, Fig. 11 p. 25).

reflectance equations, 5(22, Tables 19–20 p. 23).

– U –

uncertainties, see SIRREX-7.

– V –

validation, Vol. 9; Vol. 10; Vol. 11.

overview, 9(ch. 1).

product, 9(10–11).

vicarious calibration, 22(ch. 3).

data-screening procedures, 22(20–21).

gains, 22(Figs. 15–21 pp. 22–24, Table 3 p. 25, 25).

stray light correction, 22(20–21, Fig. 14 p. 22).

– W, X –

WiSPER, 3(9–10, Figs. 7–8, pp. 9–10, 18, Fig. 16 p. 19, Table D1 p. 32); 13(2–5, Table 1 p. 3, Table 2 p. 4, Fig. 2 p. 5, 6–7, Figs. 5–6 p. 7); 15(5, 7, Fig. 3 p. 7, 7, 8, Table 2 p. 8, 9, Table B1 p. 67); 19(4, 5–7, Table 2 p. 6); 23(4, Table 1 p. 9, Table 2 p. 10).

– Y, Z –

Yamato Bank Optical Mooring, see YBOM.

YBOM, 19(1–2).

GLOSSARY

6S Not an acronym, but an atmospheric photochemical and radiative transfer model.

- A -

A/D Analog-to-Digital
 AAOT *Acqua Alta* Oceanographic Tower
 AC Alternating Current
 ACS Average Calibration Slope or Attitude Control System (depending on usage).
 ADCP Acoustic Doppler Current Profiler
 ADEOS Advanced Earth Observing Satellite
 AERONET Aerosol Robotic Network
 AI Absorbing Aerosol Index
 AI9901 Atlantic-Indian Ocean Cruise, 1999
 ALOHA A Long-term Oligotrophic Habitat Assessment
 AMJ April-May-June
 AMT Atlantic Meridional Transect
 AMT-1 The First AMT Cruise
 AMT-2 The Second AMT Cruise
 AMT-3 The Third AMT Cruise
 AMT-5 The Fifth AMT Cruise
 AMT-8 The Eighth AMT Cruise
 AOP Apparent Optical Property
 AOPs Apparent Optical Properties
 AOT Aerosol Optical Thickness
 APD Absolute Percent Difference
 ARGOS Not an acronym, but the name given to the data collection and location system on the NOAA operational satellites.
 ASAP Artificial Satellite Analysis Program
 ASCII American Standard Code for Information Interchange
 ASD Analytical Spectral Devices
 ASTER Advanced Spaceborne Thermal Emission and Reflection Radiometer
 ASTM American Society for Testing and Materials
 ATA Ambient Temperature Plate Assembly
 ATSR Along-Track Scanning Radiometer
 AU Astronomical Unit
 AVHRR Advanced Very High Resolution Radiometer

- B -

BAS British Antarctic Survey
 BATS Bermuda Atlantic Time-series Study
 BBOP Bermuda BioOptics Project
 BCD Binary Coded Decimal
 Ber95 Bering Sea Cruise, 1995
 Ber96 Bering Sea Cruise, 1996
 BNC Bayonet Nut Connector
 BNL Brookhaven National Laboratory
 BOPSI Bio-Optical Profiling System II (second generation)
 BOUSSOLE *Bouée pour l'acquisition de Séries Optiques à Long Terme* (buoy for the acquisition of a long-term optical series).
 BPA Back Plate Assembly
 BRDF Bidirectional Reflectance Distribution Function
 BSI Biospherical Instruments, Inc.
 BSST Bulk Sea Surface Temperature
 BTBM Bermuda Test Bed Mooring

- C -

C/CSC NOAA Coastal Services Center, Charleston, South Carolina
 CalCOFI California Cooperative Fisheries Institute
 CANIGO Canary Islands, Azores, Gibraltar Observations
 CARIACO Carbon Retention in a Colored Ocean
 CB-MAB Chesapeake Bay-Middle Atlantic Bight
 CC Cloud Cover
 CCAR Colorado Center for Astrodynamics Research
 CCD Charge-Coupled Device
 CCMS Centre for Coastal and Marine Studies
 CCN Cloud Condensation Nuclei
 CCPO Center for Coastal Physical Oceanography
 CDOM Colored Dissolved Organic Matter
 CEC Commission of the European Communities
 CERT Calibration Evaluation and Radiometric Testing
 C-FALLS Combined (software package for logging) Sea-FALLS data
 CHN Carbon-Hydrogen-Nitrogen
 CHORS Center for Hydro-Optics and Remote Sensing
 C-mount Not an acronym, but a mounting system for camera lenses.
 CNR *Consiglio Nazionale delle Ricerche* (the Italian National Research Council)
 CNRS *Centre National de la Recherche Scientifique* (the French National Institute of Scientific Research)
 COARE Coupled Ocean Atmosphere Response Experiment
 CoASTS Coastal Atmosphere and Sea Time Series
 CoBOP Coastal Benthic Optical Properties (Bahamas)
 COLORS Coastal Region Long-Term Measurements for Colour Remote Sensing Development and Validation
 C-OPS Combined (software package for logging) Sea-OPS data.
 COSMIC Computer Software Management and Information Center
 COTS Commercial Off-The-Shelf
 CSC Coastal Service Center
 CSH UNIX "C-shell" (script programming utility)
 CT Cylindrical Tube or Conductivity and Temperature (depending on usage).
 CTD Conductivity, Temperature, and Depth
 CV Coefficient of Variation
 CVE Calibration and Validation Element
 CVT Calibration and Validation Team
 CZCS Coastal Zone Color Scanner

- D -

DAAC Distributed Active Archive Center
 DAD Diode Array Detector
 DalBOSS Dalhousie Buoyant Optical Surface Sensor
 DalSAS Dalhousie SeaWiFS Aircraft Simulator
 DARR Data Analysis Round-Robin
 DARR-94 The first DARR (1994)
 DARR-00 The Second DARR (March 2000)
 DAS Data Acquisition Sequence
 DATA Not an acronym, but a designator for the Satellite, Inc., series of power and telemetry units.
 DATA-100 (Atlantic) Data (acquisition) Series 100 (unit)
 dc Direct Current

DC Direct Current
 DCC Dark Current Correction
 DCM Deep Chlorophyll Maximum or Depth of the Chlorophyll Maximum (depending on usage).
 DCP Data Collection Platform
 DHI DHI Water and Environment Institute (Denmark)
 DIN *Deutsche Industrie-Normen* (German industry standards)
 DIO Digital Input-Output
 DIR Not an acronym, but a designator for the Satlantic, Inc., series of directional units.
 DMA Dimethylamine
 DMM Digital Multimeter
 DMS Dimethylsulfide
 DMSP Dimethylsulphoniopropionate
 DMSPd Dissolved DMSP
 DMSPp DMSP within phytoplankton cells
 DNA Deoxyribonucleic Acid
 DO Deep Ocean
 DOC Dissolved Organic Carbon
 DPA Detector Plate Assembly
 DSS Digital Sun Sensor
 DU Dobson Unit (of total ozone)
 DUT Device Under Test
 DVM Digital Voltmeter
 DYF DYFAMED
 DYFAMED *Dynamique des Flux en Méditerranée* (Dynamics of fluxes in the Mediterranean)

- E -

E East
 ECEF Earth-Centered Earth-Fixed
 ECI Earth-Centered Inertial
 EcoHAB Ecology of Harmful Algal Blooms
 ECR Earth-Centered Rotating
 EDTA Ethylenediaminetetraacetic Acid
 EEZ Exclusive Economic Zone
 e-mail Electronic Mail
 EOF End-of-File
 EOS Earth Observing System
 EP Entrance Pupil
 EqPac Equatorial Pacific
 ERS-2 The Second Earth Resources Satellite
 ET Eutrophic
 ETOPO2 Earth Topography 2 min grid
 ETOPO5 Earth Topography 5 min grid
 EU European Union
 EUC Equatorial Under Current

- F -

FAFOV Full-Angle Field of View
 FARCAL Facility for Advanced Radiometric Calibrations
 FASCAL Facility for Automated Spectroradiometric Calibrations
 FEL Not an acronym, but a lamp designator.
 FET Field-Effect Transistor
 FF Free-Fall
 FFT Fast Fourier Transform
 FIGD-IC Flow Injection Gas-Diffusion Coupled to Ion Chromatography
 FL-Cuba Florida-Cuba (cruise)

F-mount Not an acronym, but a mounting system for camera lenses.
 FORTRAN Formula Translation (computer language)
 FOV Field of View
 FRRF Fast Repetition Rate Fluorometer
 FS Field Stop
 FWHM Full-Width at Half-Maximum

- G -

GAC Global Area Coverage
 GF Glass Fiber (Filter)
 GF/F Not an acronym, but a specific type of glass fiber filter manufactured by Whatman.
 GLOBEC Global Ocean System Eco-Dynamics
 GMT Greenwich Mean Time
 GoA97 Gulf of Alaska 1997 (cruise)
 GoCal Gulf of California
 GOES-8 The Eighth Geostationary Operational Environmental Satellite
 GOM Gulf of Maine
 GPIB General Purpose Interface Bus
 GPS Global Positioning System
 GS GSFC and Satlantic (comparison)
 GSE Ground Support Equipment
 GSFC Goddard Space Flight Center
 GUI Graphical User Interface

- H -

HACR High-Accuracy Cryogenic Radiometer
 HDF Hierarchical Data Format
 HDS Horizontal Deployment System
 HEPA High Efficiency Particle Arrestor
 HMS Her Majesty's Ship
 HOBI Hydro-Optics, Biology, and Instrumentation (Laboratories)
 HOT Hawaii Optical Time-series
 HP Hewlett-Packard
 HPL Horn Point Laboratory
 HPLC High Performance Liquid Chromatography
 HRPT High Resolution Picture Transmission
 HS Horizon Scanner
 HTCO High Temperature Catalytic Oxidation

- I -

IAD Ion-Assisted Beam Deposition
 IC Integrated Circuit
 ICESS Institute for Computational Earth System Science
 ID Identification or Inside Diameter (depending on usage).
 IDL International Date Line or Interactive Data Language (depending on usage).
 IEEE Institute of Electrical and Electronic Engineers
 IES Institute for Environment Sustainability
 IF Interference Filter
 ILX Not an acronym, but part of the name of ILX Lightwave Corporation of Bozeman, Montana.
 IMSL International Mathematical and Statistical Libraries
 INSU *Institut National des Sciences de l'Univers* (the French National Institute of the Science of the Universe)

IOCCG International Ocean Colour Coordinating Group
 IOP Inherent Optical Property
 IOPs Inherent Optical Properties
 IOS (SOC) Institute of Oceanographic Sciences
 IQR Interquartile Range
 IS Internal Standard
 ISDGM *Istituto per lo Studio della Dinamica delle Grandi Masse* (Institute for the Study of Dynamics of Large Masses)
 ISIC Integrating Sphere Irradiance Collector

- J -

JAS July-August-September
 JCR (RRS) *James Clark Ross*
 JES9906 Japan East Sea Cruise, 1999-06
 JFM January-February-March
 JG JRC and GSFC (comparison)
 JGOFS Joint Global Ocean Flux Study
 JRC Joint Research Centre
 JS JRC and Satlantic (comparison)
 JUL98NAN A NOAA-sponsored cruise off Nantucket Island, Massachusetts in July 1998.

- K -

KMR *K* from Multiresolution (wavelet analysis)

- L -

L1 Level-1 SeaWiFS data product
 L1A Level-1a SeaWiFS data product with navigation information
 L2 Level-2 SeaWiFS data product
 L3 Level-3 SeaWiFS data product
 Lab96 Labrador Sea Cruise, 1996
 Lab97 Labrador Sea Cruise, 1997
 Lab98 Labrador Sea Cruise, 1998
 LAC Local Area Coverage
 LANDSAT Land Satellite
 LLR Low Level Radiance
 LN LoCNESS
 LoCNESS Low-Cost NASA Environmental Sampling System
 LOV *Laboratoire d'Océanographie de Villefranche* (Oceanographic Laboratory of Villefranche)
 LPCM *Laboratoire de Physique et Chimie Marines* (Laboratory of Marine Physics and Chemistry)
 LS Light Stability
 LSB Least Significant Bit
 LTER Long Term Ecological Research
 LUT Look-Up Table
 LXR LANDSAT Transfer Radiometer

- M -

MA Methylamine
 MBARI Monterey Bay Aquarium Research Institute
 MBR Maximum Band Ratio
 MCM Marine and Coastal Management (South Africa)
 MCP Modified Cubic Polynomial
 MER Marine Environmental Radiometer
 MERIS Medium Resolution Imaging Spectrometer
 METEOSAT Meteorological Satellite

MF0796 R/V *Miller Freeman* Cruise, 1996-07
 MFR-6 Multi-Filter Rotating Shadow-Band Radiometer
 microNESS micro NASA Environmental Sampling System
 microSAS micro Surface Acquisition System
 miniNESS miniature NASA Environmental Sampling System
 MIO *Mer Ionienne* (Ionian Sea)
 MISR Multiangle Imaging Spectroradiometer
 MLD Mixed Layer Depth
 MLML Moss Landing Marine Laboratory
 MMA Mirror Mount Assembly or Monomethylamine (depending on usage).
 MN miniNESS
 MOBY Marine Optical Buoy
 MOCE Marine Optical Characterization Experiment
 MODIS Moderate Resolution Imaging Spectroradiometer
 MODTRAN Not an acronym, but an atmospheric photochemical and radiative transfer model.
 MOS Modular Optoelectronic Scanner (spaceborne sensor) or Marine Optical Spectroradiometer (depending on usage).
 MREN *Maison de la Recherche en Environnement Naturel*
 MSB Most Significant Bit
 MT Mesotrophic
 MVDS Multichannel Visible Detector System

- N -

N North
 NABE North Atlantic Bloom Experiment
 NAd North Adriatic (Current)
 NASA National Aeronautics and Space Administration
 NASDA National Space Development Agency (Japan)
 NCEP National Center for Environmental Prediction
 NCSA National Center for Supercomputing Applications
 NDVI Normalized Difference Vegetation Index
 NEC Northeast US Coastal Ecosystem or the present name (not an acronym) for the Nippon Electric Company (Japan), depending on usage.
 NECC North Equatorial Counter Current
 NEGOM Northeast Gulf of Mexico
 NEUC North Equatorial Undercurrent
 NIR Near-Infrared
 NIST National Institute of Standards and Technology
 NOAA National Oceanic and Atmospheric Administration
 NR Not Resolved
 NRL Naval Research Laboratory
 NRSR Normalized Remote Sensing Reflectance
 NSD Normalized Standard Deviation

- O -

OC Ocean Color
 OC2 Ocean Chlorophyll 2 (algorithm)
 OC2v1 OC2 version 1
 OC2v2 OC2 version 2
 OC2v4 Ocean Chlorophyll 2 (algorithm) version 4
 OC4 Ocean Chlorophyll 4 (algorithm)

- R -

OC4v2	OC4 version 2	RAM	Random Access Memory
OC4v3	OC4 version 3	RE	Ramsden Eyepiece
OC4v4	OC4 version 4	RED9503	Red Tide Cruise, 1995-03
OCI	Ocean Color Irradiance (sensor)	Res94	Resolute Cruise, 1994
OCI-200	Ocean Color Irradiance series 200 (sensor)	Res95-2	Resolute Cruise, 1995
OCP	Ocean Color Profiler	Res96	Resolute Cruise, 1996
OCR	Ocean Color Radiance (sensor)	Res98	Resolute Cruise, 1998
OCR-200	Ocean Color Radiance series 200 (sensor)	RF	Response Factor
OCR-250	Ocean Color Radiance Series 250 (sensor)	RH	Relative Humidity
OCR-504	OCR series-504 (four-channel, digital sensor)	RL	Relay Lens
OCR-507	OCR series-507 (seven-channel, digital sensor)	RMA	Reduced Major Axis
OCR-1000	Ocean Color Radiance Series 1000 (sensor)	RMS	Root Mean Squared
OCR-2000	Ocean Color Radiance Series 2000 (sensor)	RMSD	Root Mean Square Difference
OCTS	Ocean Color Temperature Scanner	RMSrd	Root Mean Square of relative difference
OD	Outside Diameter	ROAVERRS	Research on Ocean-Atmosphere Variability and Ecosystem Response in the Ross Sea
OL	Optronics Laboratories, Inc.	ROLO	Robotic Lunar Observatory
OLL	One-Percent Light Level	ROSSA	Radiometric Observations of the Sea Surface and Atmosphere
OND	October-November-December	RPD	Relative Percent Difference
OPC	Optical Plankton Counter	RRS	Royal Research Ship
OrbView-2	Not an acronym, but the current name for the SeaStar satellite.	RSG (PML)	Remote Sensing Group
ORINOCO	Orinoco River Plume	RSMAS	Rosenstiel School for Marine and Atmospheric Science
OSC	Orbital Sciences Corporation	RSR	Relative Spectral Response
OT	Oligotrophic	RSS	Root-Sum Square
OV2	OrbView-2	RTV	Room Temperature Vulcanizing
		RVS	(BAS) Research Vessel Services

- P -

PAR	Photosynthetically Available Radiation
PC	Personal Computer or Percent Contribution Ratio (depending on usage).
PCR	Polymerase Chain Reaction
PD	Percent Difference
PI	Principal Investigator
P-I	Photosynthesis-Irradiance
PID	Proportional, Integral, Differential
PlyMBODY	Plymouth Marine Bio-Optical Data Buoy
PM	Particulate Matter
PML	Plymouth Marine Laboratory
POC	Particulate Organic Carbon
POLDER	Polarization Detecting Environmental Radiometer
PRIME	Plankton Reactivity in the Marine Environment
PRO-DCU	Not an acronym, but a designator for the Satlantic, Inc., series of 48-76 V deck boxes.
PROSOPE	<i>Productivité des Systèmes Océaniques Pélagiques</i> (Productivity of Pelagic Oceanic Systems)
PRR	Profiling Reflectance Radiometer
PRT	Platinum Resistance Temperature (sensor)
PS	Power Supply
PSD	Particle Size Distribution
PST	Pacific Standard Time
PSU	Practical Salinity Units
PTFE	Polytetrafluoroethylene
PVC	Polyvinylchloride

- Q -

QC	Quality Control
----	-----------------

- S -

S	South
S/N	Serial Number
S/CSC	Stennis (Space Center) Coastal Services Center
S/NRL	Stennis Space Center, Naval Research Laboratory
SACZ	Sub-Antarctic Convergence Zone
SAI	Space Applications Institute
SAS	Surface Acquisition System
SAS-II	Satlantic Airborne Sensor
SAT	Short Along-Track (station)
SatView	The Satlantic data acquisition and visualization software package.
SBE	Sea-Bird Electronics
SBRC	Santa Barbara Research Center (Raytheon)
SBRs	Santa Barbara Remote Sensing (Hughes)
SBUV	Solar Backscatter Ultraviolet Radiometer
SC	Shallow Coastal
SCOR	Scientific Committee on Oceanographic Research
SDSU	San Diego State University
SDY	Sequential Day of the Year
SeaACE	SeaWiFS Atlantic Characterization Experiment
SeaARCS	SeaWiFS Advanced Radiometer Control System
SeaBAM	SeaWiFS Bio-optical Algorithm Mini-workshop
SeaBASS	SeaWiFS Bio-Optical Archive and Storage System
SeaBOARR	SeaWiFS Bio-Optical Algorithm Round-Robin
SeaBOARR-98	The First SeaBOARR (1998)
SeaBOARR-99	The Second SeaBOARR (1999)
SeaBOARR-00	The Third SeaBOARR (April-May 2000)

SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-23

SeaBOARR-01 The Fourth SeaBOARR (June 2001)
 SeaBOARR-02 The Fifth SeaBOARR (June 2002)
 SeaBOSS SeaWiFS Buoyant Optical Surface Sensor
 SeaDAS SeaWiFS Data Analysis System
 SeaFALLS SeaWiFS Free-Falling Advanced Light Level Sensors
 SeaHARRE SeaWiFS HPLC Analysis Round-Robin Experiment
 SeaHARRE-1 The First SeaWiFS HPLC Analysis Round-Robin Experiment
 SeaLaMP SeaWiFS Lamp Monitoring and Performance
 SeaOPS SeaWiFS Optical Profiling System
 SeaPRISM SeaWiFS Photometer Revision for Incident Surface Measurement
 SeaSAS SeaWiFS Surface Acquisition System
 SeaSHADE SeaWiFS Shadow Band (radiometer)
 SeaStar Not an acronym, but the former name of the satellite on which SeaWiFS was launched, now known as OrbView-2.
 SeaSURF SeaWiFS Square Underwater Reference Frame
 SeaWiFS Sea-viewing Wide Field-of-view Sensor
 SEC South Equatorial Current
 SEM Scanning Electronic Microscopy
 SEUC South Equatorial Undercurrent
 SIAP *Societa Italiana Apparecchi di Precisione*
 SIFS Satlantic Instrument Files Standard
 SIMBAD Satellite Validation for Marine Biology and Aerosol Determination
 SIMBIOS Sensor Intercomparison and Merger for Biological and Interdisciplinary Oceanic Studies
 SIO Scripps Institution of Oceanography
 SIRCUS Spectral Irradiance and Radiance Calibrations with Uniform Standards
 SIRREX SeaWiFS Intercalibration Round-Robin Experiment
 SIRREX-1 The First SIRREX (July 1992)
 SIRREX-2 The Second SIRREX (June 1993)
 SIRREX-3 The Third SIRREX (September 1994)
 SIRREX-4 The Fourth SIRREX (May 1995)
 SIRREX-5 The Fifth SIRREX (July 1996)
 SIRREX-6 The Sixth SIRREX (August-December 1997)
 SIRREX-7 The Seventh SIRREX (March 1999)
 SIRREX-8 The Eighth SIRREX (September-December 2001)
 SIS Spherical Integrating Source
 SMAB Southern Mid-Atlantic Bight
 SMSR SeaWiFS Multichannel Surface Reference
 SNR Signal-to-Noise Ratio
 SO SeaOPS
 SOC Southampton Oceanography Centre
 SOMARE Sampling, Observations and Modelling of Atlantic Regional Ecosystems
 SOOP SeaWiFS Ocean Optics Protocols
 SOSSTR Ship of Opportunity Sea Surface Temperature Radiometer
 SPMR SeaWiFS Profiling Multichannel Radiometer
 SPO SeaWiFS Project Office
 SQM SeaWiFS Quality Monitor
 SQM-II The Second Generation SQM
 SRF Spectral Response Function
 SS Sea State
 SSE Size-of-Source Effect
 SSH Sea Surface Height
 SSM/I Special Sensor for Microwave/Imaging

SSST Sea Surface Skin Temperature
 SUnSAS SeaWiFS Underway Surface Acquisition System
 SXR SeaWiFS Transfer Radiometer

- T -

T Transmission method for spectrophotometric analysis.
 T/N Temporary (identification) Number
 TAO Tropical Atmosphere-Ocean
 TBAA Tetrabutyl Ammonium Acetate
 TEC Thermoelectric Cooler
 THOR Three-Headed Optical Recorder
 TIROS Television Infrared Observation Satellite
 TMA Trimethylamine
 TOA Top of the Atmosphere
 TOC Total Organic Carbon
 TOGA Tropical Ocean Global Atmosphere
 TOMS Total Ozone Mapping Spectrometer
 T-R Transmission-Reflection (method for spectrophotometric analysis)
 TSM Total Suspended Matter
 TOPEX Topography Experiment
 TOTO Tongue of the Ocean (Bahamas)
 TOVS TIROS Operational Vertical Sounder
 TSG Thermosalinograph
 TSM Total Suspended Matter
 TSP Thermo Separation Products
 TTL Transistor-Transistor Logic

- U -

UA University of Arizona
 UCSB University of California, Santa Barbara
 UIC Underway Instrumentation and Control
 UK United Kingdom
 ULCO *Université du Littoral Côte d'Opale*
 UM University of Miami
 UMCES University of Maryland Center for Environmental Science
 UNC Unified Course
 UNESCO United Nations Educational, Scientific, and Cultural Organization
 UOR Undulating Oceanographic Recorder
 UPD Unbiased Percent Difference
 UPS Uninterruptable Power Supply
 UPW Upwelling
 URL Universal Resource Locator
 USF University of South Florida
 USGS United States Geological Survey
 USN United States Navy
 UTC Coordinated Universal Time (definition reflects actual usage instead of following the letters of the acronym).
 UV Ultraviolet
 UVA Ultraviolet-A

- V -

V1 Version 1
 V2 Version 2
 V3 Version 3
 V4 Version 4
 V5 Version 5
 VAFB Vandenberg Air Force Base

VisSCF Visible Spectral Comparator Facility (NIST)
VKI VKI Institute for Water Environment (Den-
mark)
VXR Visible Transfer Radiometer

– W –

W West
WC Winch and Crane
WETLabs Western Environmental Technology Laborato-
ries (Inc.)
WG Working Group
WiSPER Wire-Stabilized Profiling Environmental Radi-
ometer
WM Spherical Mirror Wedge Section
WMO World Meteorological Organization

WOCE World Ocean Circulation Experiment
WP WiSPER
WS Wind Speed
WSSC Washington Suburban Sanitary Commission

– X –

XBT Expendable Bathythermograph
XOTD Expendable Optical, Temperature, and Depth

– Y, Z –

YB71 Not an acronym, but a type of paint for solar
diffusers.
YBOM Yamato Bank Optical Mooring (Japan)
YES Yankee Environmental Systems (Inc.)

REFERENCES

- A -

- Aas, E., 1981: The refractive index of phytoplankton. *Institute for Geophysikk Report Series, No. 46*, Oslo University, 61 pp.
- Aiken, J., G.F. Moore, and P.M. Holligan, 1992: Remote-sensing of oceanic biology in relation to global climate change. *J. Phycol.*, **28**, 579-590.
- , —, C. Trees, S.B. Hooker, and D. Clark, 1995: The SeaWiFS CZCS-Type pigment algorithm. *NASA Tech. Memo. 104566, Vol. 29*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 34 pp.
- , and S.B. Hooker, 1997: The Atlantic Meridional Transect: Spatially extensive calibration and validation of optical properties and remotely-sensed measurements of ocean color. *Backscatter*, **8**, 8-11.
- , D.G. Cummings, S.W. Gibb, N.W. Rees, R. Woodd-Walker, E.M.S. Woodward, J. Woolfenden, S.B. Hooker, J-F. Berthon, C.D. Dempsey, D.J. Suggett, P. Wood, C. Donlon, N. González-Benítez, I. Huskin, M. Quevedo, R. Barciela-Fernandez, C. de Vargas, and C. McKee, 1998: AMT-5 Cruise Report. *NASA Tech. Memo. 1998-206892, Vol. 2*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 113 pp.
- , N.W. Rees, S. Hooker, P. Holligan, A. Bale, D. Robins, G. Moore, R. Harris, and D. Pilgrim, 2000: The Atlantic Meridional Transect: overview and synthesis of data. *Prog. Oceanogr.*, **45**, 257-312.
- Ainsworth, E.J., and F.S. Patt, 2000: "Modifications to the TOMS ozone ancillary data interpolation." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 69-73.
- Ångström, A., 1929: On the atmospheric transmission of sun radiation and on dust in the air. *Geogr. Ann.*, **12**, 130-159.
- , 1961: Techniques of determining the turbidity of the atmosphere. *Tellus*, **13**, 214-223.
- Antoine, D., and P. Guevel, 2000: Calibration and validation of satellite ocean color observations: The BOUSSOLE Project. *Proc. Ocean Optics XV*, Monaco, October 16-20, 2000. [Available on CD-ROM: Office of Naval Research, Washington, DC].
- Artegiani, A., D. Bregant, E. Paschini, N. Pinardi, F. Raicich, and A. Russo, 1997a: The Adriatic Sea general circulation, Part I: Air-sea interactions and water mass structure. *J. Phys. Oceanogr.*, **27**, 1,492-1,514.
- , —, —, —, and —, 1997b: The Adriatic Sea general circulation, Part II: Baroclinic circulation structure. *J. Phys. Oceanogr.*, **27**, 1,515-1,532.
- ASTM, 1997: "E1256-95, standard test methods for radiation thermometers (single waveband type)." Temperature Measurement, Vol. 14.03, Sect. 14, General Methods and Instrumentation, *Annual Book of ASTM Standards*, American Society of Testing and Materials, Philadelphia, Pennsylvania, 437-443.
- Austin, R.W., 1974: The remote sensing of spectral radiance from below the ocean surface. In: *Optical Aspects of Oceanography*, N.G. Jerlov and E.S. Nielsen, Eds., Academic Press, London, 317-344.
- , 1980: Gulf of Mexico, ocean color surface truth measurements. *Bound.-Layer Meteorol.*, **18**, 269-285.
- , and G. Halikas, 1976: The index of refraction of seawater. *SIO Ref. 76-1*, Vis. Lab., Scripps Institution of Oceanography, La Jolla, California, 64 pp.
- , and T.J. Petzold, 1981: The determination of the diffuse attenuation coefficient of sea water using the Coastal Zone Color Scanner. In: *Oceanography from Space*, J.F.R. Gowar, Ed., Plenum Press, 239-256.

- B -

- Bailey, S.W., C.R. McClain, P.J. Werdell, and B.D. Schieber, 2000: "Normalized water-leaving radiance and chlorophyll *a* match-up analyses." In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 45-52.
- Barlow, R.G., R.F.C. Mantoura, M.A. Gough, and T.W. Fileman, 1993: Pigment signatures of the phytoplankton composition in the northeastern Atlantic during the 1990 spring bloom. *Deep-Sea Res. II*, **40**, 459-477.
- , D.G. Cummings, and S.W. Gibb, 1997: Improved resolution of mono- and divinyl chlorophylls *a* and *b* and zeaxanthin and lutein in phytoplankton extracts using reverse phase C-8 HPLC. *Mar. Ecol. Prog. Ser.*, **161**, 303-307.
- Barnes, R.A., 1994: *SeaWiFS Data: Actual and Simulated*. [World Wide Web page.] From URLs: <http://seawifs.gsfc.nasa.gov/SEAWIFS/IMAGES/spectral1.dat> and <http://seawifs.gsfc.nasa.gov/SEAWIFS/IMAGES/spectral2.dat> NASA Goddard Space Flight Center, Greenbelt, Maryland.
- , 1996a: "Calculation of an equivalent blackbody temperature for the GSFC sphere." In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566, Vol. 39*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 5-17.
- , 1996b: "A comparison of the spectral responses of SeaWiFS and the SeaWiFS Transfer Radiometer." In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566, Vol. 39*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39-48.
- , 1996c: "SeaWiFS center wavelengths." In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566, Vol. 39*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 49-53.
- , 1997: "SeaWiFS measurements in orbit: Band-averaged spectral radiance." In: Barnes, R.A., R.E. Eplee, E-n. Yeh, and W.E. Esaias, SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566, Vol. 40*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 48-55.

- , and A.W. Holmes, 1993: Overview of the SeaWiFS ocean sensor. *Proc. SPIE*, **1939**, 224–232.
- , W.L. Barnes, W.E. Esaias, and C.R. McClain, 1994a: Prelaunch Acceptance Report for the SeaWiFS Radiometer. *NASA Tech. Memo. 104566*, Vol. 22, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 32 pp.
- , A.W. Holmes, W.L. Barnes, W.E. Esaias, C.R. McClain, and T. Svitek, 1994b: SeaWiFS Prelaunch Radiometric Calibration and Spectral Characterization. *NASA Tech. Memo. 104566*, Vol. 23, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 55 pp.
- , —, and W.E. Esaias, 1995: Stray Light in the SeaWiFS Radiometer. *NASA Tech. Memo. 104566*, Vol. 31, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 76 pp.
- , and R.E. Eplee, Jr., 1996: "The SeaWiFS solar diffuser." In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566*, Vol. 39, S.B. Hooker and E.R. Firestone Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 54–61.
- , and E-n. Yeh, 1996: "Effects of source spectral shape in SeaWiFS radiance measurements." In: Barnes, R.A., E-n. Yeh, and R.E. Eplee, SeaWiFS Calibration Topics, Part 1. *NASA Tech. Memo. 104566*, Vol. 39, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 18–38.
- , and R.E. Eplee, 1997a: "The 1993 SeaWiFS calibration using band-averaged spectral radiances." In: Barnes, R.A., R.E. Eplee, E-n. Yeh, and W.E. Esaias, SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566*, Vol. 40, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39–46.
- , and —, 1997b: "The 1993 SeaWiFS calibration using band-averaged spectral radiances." In: Barnes, R.A., R.E. Eplee, E-n. Yeh, and W.E. Esaias, SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566*, Vol. 40, S.B. Hooker and E.R. Firestone Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39–47.
- , and W.E. Esaias, 1997: "A nominal top-of-the-atmosphere spectrum for SeaWiFS." In: Barnes, R.A., R.E. Eplee, E-n. Yeh, and W.E. Esaias, SeaWiFS Calibration Topics, Part 2. *NASA Tech. Memo. 104566*, Vol. 40, S.B. Hooker and E.R. Firestone Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–11.
- , R.E. Eplee, and F.S. Patt, 1998: "SeaWiFS measurements of the moon." In: Sensors, Systems, and Next-Generation Satellites II, *SPIE*, **3498**, 311–324.
- , and C.R. McClain, 1999: "The calibration of SeaWiFS after two years on orbit." In: Sensors, Systems, and Next-Generation Satellites V, *SPIE*, **3870**, 214–227.
- , R.E. Eplee, Jr., F.S. Patt, and C.R. McClain, 1999a: Changes in the radiometric sensitivity of SeaWiFS determined from lunar and solar-based measurements. *Appl. Opt.*, **38**, 4,649–4,664.
- , —, S.F. Biggar, K.J. Thome, E.F. Zalewski, P.M. Slater, and A.W. Holmes, 1999b: The SeaWiFS Solar Radiation-Based Calibration and the Transfer-to-Orbit Experiment. *NASA Tech. Memo. 1999-206892*, Vol. 5, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 28 pp.
- , R.E. Eplee, Jr., G.M. Schmidt, F.S. Patt, and C.R. McClain, 2001: Calibration of SeaWiFS. I. Direct techniques. *Appl. Opt.*, **40**, 6,682–6,700.
- Berk, A., L.S. Bernstein, and D.C. Robertson, 1989: MODTRAN: A moderate resolution model for LOWTRAN7. *Tech. Report GL-TR-90-0122*, Geophysical Directorate Phillips Laboratory, Hanscom AFB, Massachusetts, 44 pp.
- Berthon, J-F., G. Zibordi, S. Grossi, D. van der Linde, and C. Targa, 1998: The CoASTS time-series of bio-optical measurements in the North Adriatic Sea: An analysis in view to interpretation of satellite color data in coastal waters. *Ocean Optics XIV*, Kailua-Kona, USA, 10–13 November 1998.
- , G. Zibordi, and S.B. Hooker, 2000: Marine optical measurements of a "mucilage" event in the northern Adriatic Sea, *Limnol. Oceanogr.*, **45**, 322–327.
- , —, D. D'Alimonte, S. Grossi, D. van der Linde, and C. Targa, 2001: Empirical relationships between apparent and inherent optical properties in the northern Adriatic Sea. *Proc. Int. Conf. Current Problems in Optics of Natural Waters (ONW'2001)*, 25–28 September 2001, St. Petersburg, Russia, *Proc. D.S. Rozhdestvensky Opt. Soc.*, 311–317.
- , —, J.P. Doyle, S. Grossi, D. van der Linde, and C. Targa, 2002: Coastal Atmosphere and Sea Time Series (CoASTS), Part 2: Data Analysis. *NASA Tech. Memo. 2002-206892*, Vol. 20, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 25 pp.
- Bidigare, R.R., 1991: "Analysis of algal chlorophylls and carotenoids." In: Marine Particles: Analysis and Characterization. *Geophysical Monograph 63*, D.C. Hurd and D.W. Spencer, Eds., American Geophysical Union, Washington, DC, 119–123.
- Biggar, S.F., 2001: A method for correcting the irradiance of standards of spectral irradiance (lamps) operated at non-standard distances. *Opt. Photonics News*, (withdrawn).
- , D.I. Gelman, and P.N. Slater, 1990: Improved evaluation of optical depth components from Langley plot data. *Remote Sens. Environ.*, **32**, 91–101.
- , K.J. Thome, P.N. Slater, A.W. Holmes, and R.A. Barnes, 1993: Preflight solar radiation-based calibration of SeaWiFS. *SPIE*, **1939**, 233–242.
- , P.N. Slater, K.J. Thome, A.W. Holmes, and R.A. Barnes, 1994: "Preflight solar-based calibration of SeaWiFS." In: McClain, C.R., R.S. Fraser, J.T. McLean, M. Darzi, J.K. Firestone, F.S. Patt, B.D. Schieber, R.H. Woodward, E-n. Yeh, S. Mattoo, S.F. Biggar, P.N. Slater, K.J. Thome, A.W. Holmes, R.A. Barnes, and K.J. Voss, Case Studies for SeaWiFS Calibration and Validation, Part 2. *NASA Tech. Memo. 104566*, Vol. 19, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 25–32.

- C -

- , K.J. Thome, P.N. Slater, A.W. Holmes, and R.A. Barnes, 1995: "Second SeaWiFS preflight solar radiation-based calibration experiment." In: Mueller, J.L., R.S. Fraser, S.F. Biggar, K.J. Thome, P.N. Slater, A.W. Holmes, R.A. Barnes, C.T. Weir, D.A. Siegel, D.W. Menzies, A.F. Michaels, and G. Podesta, Case Studies for SeaWiFS Calibration and Validation, Part 3. *NASA Tech. Memo. 104566*, Vol. 27, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 20-24.
- Bjornland, T., and S. Liaaen-Jensen, 1989: Distribution patterns of carotenoids in relation to chromophyte phylogeny and systematics. In: *The Chromophyte Algae: Problems and Perspectives*. J.C. Green, B.S.C. Leadbeater, and W.L. Diver, Eds., Clarendon Press, Oxford, 37-61.
- Bonzagni, M., U. Amato, R. Rizzi, and R. Guzzi, 1989: Evaluation of the shadowband effect on a 2π spectroradiometer. *Appl. Opt.*, **28**, 2,199-2,201.
- Brewer, P.G., and J.P. Riley, 1965: The automatic determination of nitrate in sea water. *Deep-Sea Res.*, **12**, 765-772.
- Bricaud, A., M. Babin, A. Morel, and H. Claustre, 1995: Variability in the chlorophyll-specific absorption coefficients of natural phytoplankton: Analysis and parameterization. *J. Geophys. Res.*, **100**, 13,321-13,332.
- , A. Morel, M. Babin, K. Allali, and H. Claustre, 1998: Variations of light absorption by suspended particles with chlorophyll *a* concentration in oceanic (Case-1) waters: Analysis and implications for bio-optical models. *J. Geophys. Res.*, **103**, 31,033-31,044.
- Briegleb, B.P., and V. Ramanathan, 1982: Spectral and diurnal variations in clear sky planetary albedo. *J. Climate Appl. Meteor.*, **21**, 1,168-1,171.
- Brown, C.W., 1995: "Classification of coccolithophore blooms in ocean color imagery." In: McClain, C.R., W.E. Esaias, M. Darzi, F.S. Patt, R.H. Evans, J.W. Brown, K.R. Arrigo, C.W. Brown, R.A. Barnes, and L. Kumar, Case Studies for SeaWiFS Calibration and Validation, Part 4. *NASA Tech. Memo. 104566*, Vol. 28, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 13-19.
- , and J.A. Yoder, 1994: Coccolithophorid blooms in the global ocean. *J. Geophys. Res.*, **99**, 7,467-7,482.
- Bruegge, C.J., V.G. Duval, N.L. Chrien, and D.J. Diner, 1993: Calibration plans for the multi-angle, imaging spectroradiometer (MISR). *Metrologia*, **30**, 231-221.
- Bukata, R.P., J.H. Jerome, and J.E. Bruton, 1988: Particulate concentrations in Lake St. Clair as recorded by a shipborne multispectral optical monitoring system. *Remote Sens. Environ.*, **25**, 201-229.
- , K.Y. Kondratyev, and D.V. Pozdnyakov, 1995: *Optical Properties and Remote Sensing of Inland and Coastal Waters*. CRC Press, Boca Raton, Florida, 362 pp.
- Bustillos-Guzmán, J., H. Claustre, and J.C. Marty, 1995: Specific phytoplankton signatures and their relationship to hydrographic conditions in the coastal northwestern Mediterranean Sea. *Mar. Ecol. Prog. Ser.*, **124**, 247-258.
- Butler, J.J., and B.C. Johnson, 1996: EOS radiometric measurement comparisons at Hughes Santa Barbara Remote Sensing and NASA's Jet Propulsion Laboratory. *The Earth Observer*, **8**(5), 17-19.
- Carder, K.L., and R.G. Steward, 1985: A remote sensing reflectance model of a red tide dinoflagellate off West Florida. *Limnol. Oceanogr.*, **30**, 286-298.
- , S.K. Hawes, K.A. Baker, R.C. Smith, R.G. Steward, and B.G. Mitchell, 1991: Reflectance model for quantifying chlorophyll *a* in the presence of productivity degradation products. *J. Geophys. Res.*, **96**, 20,599-20,611.
- , F.R. Chen, Z.P. Lee, and S.K. Hawes, 1999: Semi-analytic Moderate-Resolution Imaging Spectrometer algorithms for chlorophyll *a* and absorption with bio-optical domains based on nitrate-depletion temperatures. *J. Geophys. Res.*, **104**, 5,403-5,421.
- Charlson, R.J., J.E. Lovelock, M.O. Andreae, and S.G. Warren, 1987: Oceanic phytoplankton, atmospheric sulphur, cloud albedo, and climate. *Nature*, **326**, 655-661.
- , S.E. Schwartz, J.M. Hales, R.D. Cess, J.A. Coakley, J.E. Hansen, and D.J. Hofmann, 1992: Climate forcing by anthropogenic aerosols. *Science*, **255**, 423-430.
- Chen, L.C., and G.M. Lerner, 1978: "Sun sensor models." In: Wertz, J.R., *Spacecraft Attitude Determination and Control*, D. Reidel Publishing Company, Dordrecht, Holland, 224-227.
- Chisholm, S.W., R.J. Olson, E.R. Zettler, R. Goericke, J.B. Waterbury, and N.A. Welschmeyer, 1988: A novel free-living prochlorophyte abundant in the oceanic euphotic zone. *Nature*, **334**, 340-343.
- Clark, D., H.R. Gordon, K.J. Voss, Y. Ge, W. Broenkow, and C. Trees, 1997: Validation of atmospheric correction over the oceans. *J. Geophys. Res.*, **102**, 17,209-17,217.
- , M.E. Feinholz, M.A. Yarbrough, B.C. Johnson, S.W. Brown, Y.S. Kim, and R.A. Barnes, 2001: "Overview of the radiometric calibration of MOBY." In: Earth Observing Systems VI, *SPIE*, **4483**, 64-76.
- Claustre, H., 1994: Phytoplankton pigment signatures of the trophic status in various oceanic regimes. *Limnol. Oceanogr.*, **39**, 1,207-1,211.
- , P. Kerhervé, J.-C. Marty, L. Prieur, and J.H. Hecq, 1994: Phytoplankton distribution associated with a geostrophic front: ecological and biogeochemical implications. *J. Mar. Res.*, **52**, 711-742.
- Cox, C., and W. Munk, 1954: Measurements of the roughness of the sea surface from photographs of the sun's glitter. *J. Opt. Soc. Am.*, **44**, 838-850.
- Curcio, J.A., and C.C. Petty, 1951: The near infrared absorption spectrum of liquid water. *J. Opt. Soc. Amer.*, **41**, 302-305.

- D -

- D'Alimonte, D., G. Zibordi, and J.-F. Berthon, 2001: "The JRC data processing system." In: Hooker, S.B., G. Zibordi J.-F. Berthon, D. D'Alimonte, S. Maritorena, S. McLean, and J. Sildam, Results of the Second SeaWiFS Data Analysis Round Robin, March 2000 (DARR-00). *NASA Tech. Memo. 2001-206892*, Vol. 15, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 71 pp.

- Darzi, M., 1998: SeaWiFS Algorithm Flow Chart. *NASA Contractor Report 1998-206848*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 36 pp.
- , F.S. Patt, and L. Kumar, 1995: "Algorithm for the application of the sensor calibration for SeaWiFS level-2 processing." In: McClain, C.R., K. Arrigo, W.E. Esaias, M. Darzi, F.S. Patt, R.H. Evans, J.W. Brown, C.W. Brown, R.A. Barnes, and L. Kumar, *SeaWiFS Algorithms, Part 1. NASA Tech. Memo. 104566, Vol. 28*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 26–32.
- Dave, J.V., 1972: Development of programs for computing characteristics of ultraviolet radiation, *Tech. Rept.*, Vector Case, IBM Corp., Fed. Syst. Div., Gaithersburg, Maryland, 337 pp.
- Davies, B.H., 1976: Carotenoids. In: *Chemistry and Biochemistry of Plant Pigments, Volume 2, 2nd Edition*. T.W. Goodwin, Ed., Academic Press, London, 38–165.
- Dedieu, G., P.-Y. Deschamps, and Y.H. Kerr, 1987: Satellite estimation of solar irradiance at the surface of the earth and of surface albedo using a physical model applied to Meteosat data. *J. Climate Appl. Meteor.*, **26**, 79–87.
- De Santis, L.V., C. Tomasi, and V. Vital, 1994: Characterization of Ångström's turbidity parameters in the Po Valley area for summer conditions of the atmosphere. *Il Nuovo Cimento*, **17C**, 407–430.
- Deschamps, P.Y., M. Herman, and D. Tanré, 1983: Modeling of the atmospheric effects and its application to the remote sensing of ocean color. *Appl. Opt.*, **22**, 3,751–3,758.
- DeWitt, D.P., and J.C. Richmond, 1988: "Thermal radiative properties of materials." In: *Theory and Practice of Radiation Thermometry*, D.P. DeWitt and G.D. Nutter, Eds., John Wiley and Sons, Inc., New York, 91–187.
- Diehl, H.P., and H. Haardt, 1980: Measurement of the spectral attenuation to support biological research in a "plankton tube" experiment. *Oceanol. Acta*, **3**, 89–96.
- Ding, K., and H.R. Gordon, 1994: Atmospheric correction of ocean-color sensors: effects of the Earth's curvature., *Appl. Opt.*, **33**, 7,096–7,106.
- Doyle, J.P., and G. Zibordi, 1998: Correction of oceanographic tower-shading effects on in-water optical measurements. *Proc. Ocean Optics XIV*, [Available on CD-ROM], Office of Naval Research, Washington, DC.
- , and —, 2002: Monte Carlo modeling of optical transmission within 3-D shadowed field: Application to large deployment structures, **41**, 4,283–4,306.
- , A. Thompson, B.C. Johnson, J. DeLuisi, P. Disterhoft, D. Wardle, E. Wu, W. Mou, J. Ehramjian, J. Tusson, T. Mestechkina, M. Beaubian, J. Gibson, and D. Hayes, 1998b: The 1996 North American interagency intercomparison of ultraviolet monitoring spectroradiometers. *J. Res. NIST*, **103**, 449–482.
- , —, —, —, —, —, —, —, —, Y. Sun, T. Lucas, T. Mestechkina, L. Harrison, J. Berndt, and D. Hayes, 1998c: The 1995 North American interagency intercomparison of ultraviolet monitoring spectroradiometers. *J. Res. NIST*, **103**, 15–62.
- , P.Y. Barnes, B.C. Johnson, J.J. Butler, C.J. Bruegge, S.F. Biggar, P.R. Spyak, and M.M. Pavlov, 2000: Bidirectional reflectance round-robin in support of the Earth Observing System Program. *J. Atmos. Ocean. Technol.*, **17**, 1,077–1,091.
- Emery, W.J., and J.S. Dewar, 1982: Mean temperature and salinity-depth and temperature-depth curves for the North Atlantic and the North Pacific. *Prog. Oceanogr.*, **11**, 219–305.
- Eplee, R.E., Jr., and R.A. Barnes, 1997: "The SeaWiFS temperature calibration." In: Barnes, R.A., R.E. Eplee, E.-n. Yeh, and W.E. Esaias, *SeaWiFS Calibration Topics, Part 2. NASA Tech. Memo. 104566, Vol. 40*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 56–62.
- , and —, 2000: "Lunar data analysis for SeaWiFS calibration." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 17–27.
- , and C.R. McClain, 2000a: "MOBY data analysis for vicarious calibration of SeaWiFS bands 1–6." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 43–50.
- , and —, 2000b: "SeaWiFS global clear-water analysis." In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. NASA Tech. Memo. 2000-206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 29–33.
- , and F.S. Patt, 2000: "Cloud-top radiance analysis for SeaWiFS bilinear gain knee calibration." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, *SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 13–16.

- E -

Early, E.A., and B.C. Johnson, 1997: "Calibration and characterization of the GSFC sphere." In: Yeh, E.-n., R.A. Barnes, M. Darzi, L. Kumar, E.A. Early, B.C. Johnson, and J.L. Mueller, *Case Studies for SeaWiFS Calibration and Validation, Part 4. NASA Tech. Memo. 104566, Vol. 41*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–17.

—, E.A. Thompson, and P. Disterhoft, 1998a: A field calibration unit for ultraviolet spectroradiometers. *Appl. Opt.*, **37**, 6,664–6,670.

- , R.A. Barnes, and F.S. Patt, 2000: "Solar data analysis for SeaWiFS calibration." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 28-37.
 - , W.D. Robinson, S.W. Bailey, D.K. Clark, P.J. Werdell, M. Wang, R.A. Barnes, and C.R. McClain, 2001: Calibration of SeaWiFS. II. Vicarious techniques. *Appl. Opt.*, **40**, 6,701-6,718.
 - Eppeldauer, G., 1991: Temperature monitored/controlled silicon photodiodes for standardization. *SPIE*, **1479**, 71-77.
 - , and J.E. Hardis, 1991: Fourteen decade photocurrent measurements with large area silicon photodiodes at room temperature. *Appl. Opt.*, **30**, 3,091-3,099.
 - Evans, R.H., and H.R. Gordon, 1994: Coastal zone color scanner "system calibration": A retrospective examination. *J. Geophys. Res.*, **99**, 7,293-7,307.
- F -
- Fallon, L., 1978: "Recursive least-squares estimators and Kalman filters." In: Wertz, J.R., *Spacecraft Attitude Determination and Control*, D. Reidel Publishing Company, Dordrecht, Holland, 459-469.
 - , and P.V. Rigerink, 1978: "Introduction to estimation theory." In: Wertz, J.R., *Spacecraft Attitude Determination and Control*, D. Reidel Publishing Company, Dordrecht, Holland, 447-451.
 - Fargion, G.S., and J.L. Mueller, 2000: Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 2, *NASA Tech. Memo. 2000-209966*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 184 pp.
 - , and C.R. McClain, 2001: SIMBIOS Project 2000 Annual Report, *NASA Tech. Memo. 2001-209976* NASA Goddard Space Flight Center, Greenbelt, Maryland, 164 pp.
 - Ferrari, G.M., M.D. Dowell, S. Grossi, and C. Targa, 1996: Relationship between the optical properties of chromophoric dissolved organic matter and total concentration of dissolved organic carbon in the southern Baltic Sea region. *Mar. Chem.*, **55**, 299-316.
 - , and —, 1999: A method for removal of light-absorption by phytoplankton pigments using chemical oxidation, *J. Phycol.*, **35**, 1,090-1,098.
 - Firestone, E.R., and S.B. Hooker, 1998: SeaWiFS Prelaunch Technical Report Series Final Cumulative Index. *NASA Tech. Memo. 1998-104566*, Vol. 43, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 4-8.
 - Firestone, J.K., R.H. Woodward, and C.R. McClain, 1994: "An evaluation of surface wind products for use in SeaWiFS." In: McClain, C.R., R.S. Fraser, J.T. McLean, M. Darzi, J.K. Firestone, F.S. Patt, B.D. Schieber, R.H. Woodward, E-n. Yeh, S. Mattoo, S.F. Biggar, P.N. Slater, K.J. Thome, A.W. Holmes, R.A. Barnes, and K.J. Voss, Case Studies for SeaWiFS Calibration and Validation, Part 2. *NASA Tech. Memo. 104566*, Vol. 19, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 50-64.
 - Flittner, D.E., and P.N. Slater, 1991: Stability of narrow-band filter radiometers in the solar-reflected range. *Photogramm. Eng. Remote Sens.*, **57**, 165-171.
 - Fougnie, B., R. Frouin, P. Lecompte, P-Y. Deschamps, 1999a: Reduction of skylight reflection effects in the above-water measurements of diffuse marine reflectance. *Appl. Opt.*, **38**, 3,844-3,856.
 - , P-Y. Deschamps, R. Frouin, 1999b: Vicarious calibration of the POLDER ocean color spectral bands using *in situ* measurements. *IEEE Trans. Geosci. Remote Sens.*, **37**, 1,567-1,574.
 - Fowler, J.B., 1977: The electronic aspects of the NBS detector response and intercomparison package and laser stabilization facility. *Electro-Optics/Laser 77 Conference and Exposition*, Industrial and Scientific Conference Management, Chicago, Illinois, 689-695.
 - Fraser, R.S., S. Mattoo, E-n. Yeh, and C.R. McClain, 1997: Algorithm for atmospheric and glint corrections of satellite measurements of ocean pigment. *J. Geophys. Res.*, **102**, 17,107-17,118.
 - Fröhlich, C., and G.E. Shaw, 1980: New determination of Rayleigh scattering in the terrestrial atmosphere. *Appl. Opt.*, **19**, 1,773-1,775.
 - Frouin, R., D.W. Lingner, K. Baker, C. Gautier, and R. Smith, 1989: A simple analytical formula to compute clear sky total and photosynthetically available solar irradiance at the ocean surface. *J. Geophys. Res.*, **94**, 9,731-9,742.
 - , and B. Chertock, 1992: A technique for global monitoring of net solar irradiance at the ocean surface. Part I: Model. *J. Appl. Meteor.*, **31**, 1,056-1,066.
 - , M. Schwindling, and P.Y. Deschamps, 1996: Spectral reflectance of sea foam in the visible and near infrared: *In situ* measurements and remote sensing implications. *J. Geophys. Res.*, **101**, 14,361-14,371.
 - Fu, G., K.S. Baith, and C.R. McClain, 1998: SeaDAS: The SeaWiFS Data Analysis System. *Proc. 4th Pacific Ocean Remote Sensing Conf.*, Qingdao, China, 28-31 July 1998, 73-79.
 - Fukushima, H., M. Schmidt, B.J. Sohn, M. Toratani, and I. Uno, 1999: Detection of dust loaded airmass in SeaWiFS Imagery: an empirical dust index in comparison with model-predicted dust distribution over the Pacific in April 1998, *Proc. Int. Symp. Remote Sens. '99*, Korean Society of Remote Sensing, ISSN 1226-9743, 89-94.
 - Furnas, M.J., 1990: *In situ* growth rates of marine phytoplankton: approaches to measurement, community and species growth rates. *J. Plank. Res.*, **12**, 1,117-1,151.

- G -

- Garside, C., 1982: Chemiluminescent technique for the determination of nanomolar concentrations of nitrate and nitrite in seawater. *Mar. Chem.*, **11**, 159-167.
- Gentile, T.R., and J.M. Houston, J.E. Hardis, C.L. Cromer, and A.C. Parr, 1996: National Institute of Standards and Technology High-accuracy Cryogenic Radiometer. *Appl. Opt.*, **35**, 1,056-1,068.
- Gibb, S.W., J.W. Wood, and R.F.C. Mantoura, 1995: Automation of flow injection gas diffusion-ion chromatography for the nanomolar determination of methylamines and ammonia in seawater and atmospheric samples. *J. Autom. Chem.*, **17**, 205-212.
- , R.F.C. Mantoura, P.S. Liss, and R.G. Barlow, 1998: Distribution and biogeochemistry of methylamines and ammonia in the Arabian Sea. *Deep-Sea Res.*, **46**, 593-615.
- Gilmartin, M., and N. Revelante, 1980: Nutrient input and the summer nanoplankton bloom in the northern Adriatic Sea. *Mar. Ecol.*, **1**, 169-180.
- , D. Degobbi, N. Relevante, and N. Smolaka, 1990: The mechanism controlling plant nutrient concentrations in the Northern Adriatic Sea. *Int. Revue Ges. Hydrobiol.*, **75**, 425-445.
- Gordon, H.R., 1981: A preliminary assessment of the Nimbus-7 CZCS atmospheric correction algorithm in a horizontally inhomogeneous atmosphere. In: *Oceanography from Space*, J.F.R. Gower, Ed., Plenum Press, 257-266.
- , 1995: Remote sensing of ocean color: A methodology for dealing with broad spectral bands and significant out-of-band response. *Appl. Opt.*, **34**, 8,363-8,374.
- , 1998: In-orbit calibration strategy for ocean color sensors. *Remote Sens. Environ.*, **63**, 265-278.
- , and W.R. McCluney, 1975: Estimation of the depth of sunlight penetration in the sea for remote sensing. *Appl. Opt.*, **14**, 413-416.
- , and D.K. Clark, 1981: Clear water radiances for atmospheric correction of coastal zone color scanner imagery. *Appl. Opt.*, **20**, 4,175-4,180.
- , —, J.W. Brown, O.B. Brown, R.H. Evans, and W.W. Broenkow, 1983: Phytoplankton pigment concentrations in the Middle Atlantic bight: comparison between ship determinations and Coastal Zone Color Scanner estimates. *Appl. Opt.*, **22**, 20-26.
- , J.W. Brown, and R.H. Evans, 1988a: Exact Rayleigh scattering calculations for use with the Nimbus-7 Coastal Zone Color Scanner. *Appl. Opt.*, **27**, 862-871.
- , O.B. Brown, R.H. Evans, J.W. Brown, R.C. Smith, K.S. Baker, and D.K. Clark, 1988b: A semianalytic radiance model of ocean color, *J. Geophys. Res.*, **93**, 10,909-10,924.
- , and K. Ding, 1992: Self shading of in-water optical instruments. *Limnol. Oceanogr.*, **37**, 491-500.
- , and M. Wang, 1992: Surface roughness considerations for atmospheric correction of ocean color sensors. 1: Rayleigh scattering component. *Appl. Opt.*, **31**, 4,247-4,260.
- , and —, 1994a: Retrieval of water-leaving radiance and aerosol optical thickness over the oceans with SeaWiFS: a preliminary algorithm. *Appl. Opt.*, **33**, 443-452.
- , and —, 1994b: Influence of oceanic whitecaps on atmospheric correction of ocean color sensors. *Appl. Opt.*, **33**, 7,354-7,763.
- Gould, R.W., and R.A. Arnone, 1994: Extending Coastal Zone Color Scanner estimates of the diffuse attenuation coefficient into case II waters. *SPIE, Ocean Optics XII*, **2258**, 342-356.
- , —, and M. Sydor, 1998: Testing a new remote sensing reflectance algorithm to estimate absorption and scattering in Case-2 Waters. [Available on CD-ROM], *SPIE Ocean Optics XII*, Hawaii.
- , —, and P.M. Martinolich, 1999: Spectral dependence of the scattering coefficient in Case-1 and Case-2 waters. *Appl. Opt.*, **38**, 2,377-2,383.
- Graeme, J.G., 1995: *Photodiode Amplifiers: Operational Amplifier Solutions*, McGraw-Hill, New York, 252 pp.
- Grasshoff, K., 1976: *Methods of Seawater Analysis*. Verlag Chemie, Weilheim, Germany, 317 pp.
- Green, S.A., and N. Blough, 1994: Optical absorption and fluorescence properties of chromophoric dissolved organic matter in natural waters. *Limnol. Oceanogr.*, **39**, 1,903-1,916.
- Gregg, W.W., F.S. Patt, and R.H. Woodward, 1993: The Simulated SeaWiFS Data Set, Version 1. *NASA Tech. Memo. 104566, Vol. 9*, S.B. Hooker, E.R. Firestone, and A.W. Indest, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 17 pp.
- , —, A.L. Mezaache, J.D. Chen, J.A. Whiting, 1994: The Simulated SeaWiFS Data Set, Version 2. *NASA Tech. Memo. 104566, Vol. 15*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 42 pp., plus color plates.
- , and R.H. Woodward, 1998: Improvements in high frequency ocean color observations: Combining data from SeaWiFS and MODIS, *IEEE Trans. Geosci. Remote Sens.*, **36**, 1,350-1,353.
- Greenberg, A.E., L.S. Clesceri, and A.D. Eaton (Eds.), 1992: *Standard Methods for the Examination of Water and Wastewater, 18th Edition*. American Public Health Association, Washington, DC, 10-19.
- Guzzi, R., G. Maracci, R. Rizzi, and R. Siccardi, 1985: Spectroradiometer for ground-based atmospheric measurements related to remote sensing in the visible from a satellite. *Appl. Opt.*, **24**, 2,859-2,864.

- H -

- Hale, G.M., and M.R. Query, 1973: Optical constants of water in the 200-nm to 200 μ m wavelength region. *Appl. Opt.*, **12**, 555-563.
- Hapke, B., 1986: Bidirectional reflectance spectroscopy. 4. Extinction and the opposition effect. *Icarus*, **67**, 246-280.
- Harrison, L., J. Michalsky, and J. Berndt, 1994: Automatic multifilter rotating shadow-band radiometer: An instrument for optical depth and radiation measurements. *Appl. Opt.*, **33**, 5,118-5,125.

- Heath, D.F., Z. Wei, W.K. Fowler, and V.W. Nelson, 1993: Comparison of spectral radiance calibrations of SBUV-2 satellite ozone monitoring instruments using integrating sphere and flat-plate diffuser techniques. *Metrologia*, **30**, 259-264.
- Helfenstein, P., and J. Veverka, 1987: Photometric properties of lunar terrains derived from Hapke's equation. *Icarus*, **72**, 342-357.
- Herman, J.R., P.K. Bhartia, O. Torres, N.C. Hsu, C.J. Seftor, and E. Celarier, 1997: Global distribution of UV-absorbing aerosols from Nimbus-7/TOMS data, *J. Geophys. Res.*, **102**, 16,911-16,922.
- Holben, B.N., T.F. Eck, I. Slutsker, D. Tanré, J.P. Buis, A. Setzer, E. Vermote, J.A. Reagan, Y.I. Kaufman, T. Nakajima, F. Lavenue, I. Jankowiak, and A. Smirnov, 1998: AERONET—A federated instrument network and data archive for aerosol characterization. *Remote Sens. Environ.*, **66**, 1-16.
- Holm-Hansen, O., C.J. Lorenzen, R.W. Holmes, and J.D.H. Strickland, 1965: Fluorometric determination of chlorophyll. *J. du Cons. Int'l. pour l'Explor. de la Mer*, **30**, 3-15.
- Hooker, S.B., W.E. Esaias, G.C. Feldman, W.W. Gregg, and C.R. McClain, 1992: An Overview of SeaWiFS and Ocean Color. *NASA Tech. Memo. 104566*, Vol. 1, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24 pp., plus color plates.
- , and —, 1993: An overview of the SeaWiFS project. *Eos, Trans., Amer. Geophys. Union*, **74**, 241-246.
- , C.R. McClain, and A. Holmes, 1993a: Ocean color imaging: CZCS to SeaWiFS. *Marine Tech. Soc. J.*, **27**, 3-15.
- , W.E. Esaias, and L.A. Rexrode, 1993b: Proceedings of the First SeaWiFS Science Team Meeting. *NASA Tech. Memo. 104566*, Vol. 8, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 61 pp.
- , —, J.K. Firestone, T.L. Westphal, E. Yeh, and Y. Ge, 1994a: The SeaWiFS Bio-Optical Archive and Storage System (SeaBASS), Part 1. *NASA Tech. Memo. 104566*, Vol. 20, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 40 pp.
- , T.L. Westphal, Y. Ge, 1994b: "The SIRREX database." In: Hooker, S.B., C.R. McClain, J.K. Firestone, T.L. Westphal, E. Yeh, and Y. Ge, The SeaWiFS Bio-Optical Archive and Storage System (SeaBASS), Part 1. *NASA Tech. Memo. 104566*, Vol. 20, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 23-30.
- , C.R. McClain, J.K. Firestone, T.L. Westphal, E-n. Yeh, and Y. Ge, 1994c: The SeaWiFS Bio-Optical Archive and Storage System (SeaBASS), Part 1. *NASA Tech. Memo. 104566*, Vol. 20, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 40 pp.
- , and J. Aiken, 1998: Calibration evaluation and radiometric testing of field radiometers with the SeaWiFS Quality Monitor (SQM). *J. Atmos. Ocean. Technol.*, 995-1,007.
- , G. Zibordi, G. Lazin, and S. McLean, 1999: The SeaBOARR-98 Field Campaign. *NASA Tech. Memo. 1999-206892*, Vol. 3, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 40 pp.
- , and G. Lazin, 2000: The SeaBOARR-99 Field Campaign. *NASA Tech. Memo. 2000-206892*, Vol. 8, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 46 pp.
- , and S. Maritorena, 2000: An evaluation of oceanographic radiometers and deployment methodologies. *J. Atmos. Ocean. Technol.*, **17**, 811-830.
- , and C.R. McClain, 2000: The calibration and validation of SeaWiFS data. *Prog. Oceanogr.*, **45**, 427-465.
- , G. Zibordi, J-F. Berthon, S.W. Bailey, and C.M. Pietras, 2000a: The SeaWiFS Photometer Revision for Incident Surface Measurement (SeaPRISM) Field Commissioning. *NASA Tech. Memo. 2000-206892*, Vol. 13, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24 pp.
- , H. Claustre, J. Ras, L. Van Heukelem, J-F. Berthon, C. Targa, D. van der Linde, R. Barlow, and H. Sessions, 2000b: The First SeaWiFS HPLC Analysis Round-Robin Experiment (SeaHARRE-1). *NASA Tech. Memo. 2000-206892*, Vol. 14, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 42 pp.
- , G. Zibordi, J-F. Berthon, D. D'Alimonte, S. Maritorena, S. McLean, and J. Sildam, 2001: Results of the Second SeaWiFS Data Analysis Round Robin, March 2000 (DARR-00). *NASA Tech. Memo. 2001-206892*, Vol. 15, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 71 pp.
- , S. McLean, J. Sherman, M. Small, G. Lazin, G. Zibordi, and J.W. Brown, 2002a: The Seventh SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-7), March 1999. *NASA Tech. Memo. 2002-206892*, Vol. 17, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 69 pp.
- , G. Lazin, G. Zibordi, and S. McLean, 2002b: An evaluation of above- and in-water methods for determining water-leaving radiances. *J. Atmos. Ocean. Technol.*, **19**, 486-515.
- , and A. Morel, 2003: Platform and environmental effects on above- and in-water determinations of water-leaving radiances. *J. Atmos. Ocean. Technol.*, **20**, 187-205.
- Hsu, N.C., J.R. Herman, P.K. Bhartia, C.J. Seftor, O. Torres, A.M. Thompson, J.F. Gleason, T.F. Eck, and B.N. Holben, 1996: Detection of biomass burning smoke from TOMS measurements, *Geophys. Res. Lett.*, **23**, 745-748.
- , —, O. Torres, B.N. Holben, D. Tanre, T.F. Eck, A. Smirnov, B. Chatenet, and F. Lavenue, 1999: Comparisons of the TOMS aerosol index with sun photometer aerosol optical thickness: results and applications, *J. Geophys. Res.*, **104**, 6,269-6,279.

- , W.D. Robinson, S.W. Bailey, and P.J. Werdell, 2000: "The description of the SeaWiFS absorbing aerosol index." In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3-5.
- Hu, C., K.L. Carder, and F.E. Müller-Karger, 2000a: How precise are SeaWiFS ocean color estimates? Implications of digital noise errors. *Remote Sens. Environ.*, **76**, 239-249.
- , —, and —, 2000b: Atmospheric correction of SeaWiFS imagery over turbid coastal waters; a practical method. *Remote Sens. Environ.*, **74**, 195-206.
- I -
- International Organization for Standardization, 1993: *Guide to the Expression of Uncertainty in Measurement*, International Organization for Standardization, Geneva, Switzerland, 101 pp.
- IOCCG, 1998: Minimum Requirements for an Operational Ocean Colour Sensor for the open ocean. *Reports Int. Ocean-Colour Coordinating Group, Report Number 1*, 46 pp.
- Iqbal, M., 1983: *An Introduction to Solar Radiation*. Academic Press, New York, 390 pp.
- J -
- Jeffrey, S.W., 1972: Preparation and some properties of crystalline chlorophyll c_1 and chlorophyll c_2 from marine algae. *Biochim. Biophys. Acta.*, **279**, 15-33.
- , and F.T. Haxo, 1968: Photosynthetic pigments of symbiotic dinoflagellates (zooxanthallae) from corals and clams. *Biol. Bull.*, **135**, 149-165.
- , and J.-M. LeRoi, 1997: Simple procedures for growing SCOR reference microalgal cultures. In: *Phytoplankton Pigments in Oceanography: Guidelines to Modern Methods*. S.W. Jeffrey, R.F.C. Mantoura, and S.W. Wright, Eds., UNESCO Publishing, Paris, 181-205.
- , and R.F.C. Mantoura, 1997: Appendix A: Pigment abbreviations used by SCOR WG 78. In: *Phytoplankton Pigments in Oceanography: Guidelines to Modern Methods*. S.W. Jeffrey, R.F.C. Mantoura, and S.W. Wright, Eds., UNESCO Publishing, Paris, 447-559.
- , —, and S.W. Wright, Eds., 1997a: "Phytoplankton Pigments in Oceanography: Guidelines to Modern Methods." UNESCO Monograph in Oceanographic Methods. *Report for SCOR WH 78, SCOR UNESCO Monographs on Oceanographic Methodology*. Paris, France, 661 pp.
- , —, and —, 1997b: *Phytoplankton Pigments in Oceanography: Guidelines to Modern Methods*. UNESCO Publishing, Paris, 661 pp.
- Johnson, B.C., S.S. Bruce, E.A. Early, J.M. Houston, T.R. O'Brian, A. Thompson, S.B. Hooker, and J.L. Mueller, 1996: The Fourth SeaWiFS Intercalibration Round-Robin Experiment, SIRREX-4, May 1995. *NASA Tech. Memo. 104566, Vol. 37*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 66 pp.
- , F. Sakuma, J.J. Butler, S.F. Biggar, J.W. Cooper, J. Ishida, and K. Suzuki, 1997: Radiometric measurement comparison using the Ocean Color and Temperature Scanner (OCTS) visible and near infrared integrating sphere. *J. Res. NIST*, **102**, 627-646.
- , P.-S. Shaw, S.B. Hooker, and D. Lynch, 1998a: Radiometric and engineering performance of the SeaWiFS Quality Monitor (SQM): A portable light source for field radiometers. *J. Atmos. Ocean. Technol.*, **15**, 1,008-1,022.
- , J.B. Fowler, and C.L. Cromer, 1998b: The SeaWiFS Transfer Radiometer (SXR). *NASA Tech. Memo. 1998-206892, Vol. 1*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 58 pp.
- , E.A. Early, R.E. Eplee, Jr., R.A. Barnes, and R.T. Cafrey, 1999a: The 1997 Prelaunch Calibration of SeaWiFS. *NASA Tech. Memo. 1999-206892, Vol. 4*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 51 pp.
- , H.W. Yoon, S.S. Bruce, P.-S. Shaw, A. Thompson, S.B. Hooker, R.E. Eplee, Jr., R.A. Barnes, S. Maritorena, and J.L. Mueller, 1999b: The Fifth SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-5), July 1996. *NASA Tech. Memo. 1999-206892, Vol. 7*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 75 pp.
- Joint Global Ocean Flux Study, 1991: JGOFS Core Measurements Protocols. *JGOFS Report No. 6*, Scientific Committee on Oceanic Research, 40 pp.
- , 1994: Protocols for the Joint Global Ocean Flux Study Core Measurements. Intergovernmental Oceanographic Commission, Scientific Committee on Oceanic Research. *Manual and Guides, UNESCO, 29*, 91-96.
- Jonasz, M., 1983: Particle-size distributions in the Baltic. *Tellus*, **35B**, 346-358.
- Jones, R.D., 1991: An improved fluorescence method for the determination of nanomolar concentrations of ammonium in natural waters. *Limnol. Oceanogr.*, **36**, 814-819.
- Junge, C.E., 1963: *Air chemistry and radioactivity*. Academic Press, New York, 382 pp.
- K -
- Kahru, M., and B.G. Mitchell, 1998a: Spectral reflectance and absorption of a massive red tide off Southern California. *J. Geophys. Res.*, **103**, 21,601-21,609.
- , and —, 1998b: Evaluation of instrument self-shading and environmental errors on ocean color algorithms. *Proc. Ocean Optics XIV*, Kona, Hawaii, S. Ackleson and J. Campbell, Eds., [Available on CD-ROM.]

- , and —, 1999: Empirical chlorophyll algorithm and preliminary SeaWiFS validation for the California Current. *Int. J. Remote Sens.*, **20**, 3,423-3,429.
- Kasten, F., 1966: A new table and approximate formula for relative optical air mass. *Arch. Meteorol. Geophys. Bioklimatol. Ser. B*, **14**, 206-223.
- , and A.T. Young, 1989: Revised optical air mass tables: An approximation formula. *Appl. Opt.*, **28**, 4,735-4,738.
- Kearns, E., R. Riley, and C. Woody, 1996: A bio-optical time series collected in coastal waters for SeaWiFS calibration and validation: Large structure shadowing considerations. Halifax, Canada, *Proc. SPIE*, Ocean Optics XIII, **2963**, 697-702.
- Keller, M.D., W.K. Bellows, and R.R.L. Guillard, 1989: Dimethylsulphide production in marine phytoplankton. In: *Biogenic Sulphur in the Environment*. E.S. Saltzman and W.J. Cooper, Eds., American Chemical Society, Washington, DC, 167-182.
- Kieffer, H.H., and J.M. Anderson, 1998: "Use of the moon for spacecraft calibration over 350-2500 nm." In: *Sensors, Systems, and Next-Generation Satellites II*, *SPIE*, **3498**, 325-336.
- , T.C. Stone, R.A. Barnes, S. Bender, R.E. Eplee, Jr., J. Mendenhall, and L. Ong, 2002: "On-orbit radiometric calibration over time and between spacecraft using the Moon." In: *Sensors, Systems, and Next Generation Satellites VIII*, *SPIE*, **4881**, 301-313.
- King, G.M., 1988: Distribution and metabolism of quaternary amines in marine sediments. In: *Nitrogen Cycling in Coastal Marine Environments*. T.H. Blackburn and J. Sorenson, Eds., John Wiley and Sons, Chichester, United Kingdom, 143-173.
- Kiorbe, T., 1993: Turbulence, phytoplankton cell size, and the structure of pelagic food webs. *Adv. Mar. Biol.*, **29**, 1-72.
- Kirk, J.T.O., 1994: Estimation of the absorption and the scattering coefficients of natural waters by use of underwater irradiance measurements, *Appl. Opt.*, **33**, 3,276-3,278.
- Kirkwood, D.S., 1989: Simultaneous determination of selected nutrients in seawater. *ICES CM1989*, **29**, 12 pp.
- Kishino, M., J. Ishizaka, S. Saitoh, Y. Senga, and M. Utashima, 1997: Verification plan of ocean color and temperature scanner atmospheric correction and phytoplankton pigment by moored optical buoy system, *J. Geophys. Res.*, **102**, 17,197-17,207.
- Koepke, P., 1984: Effective reflectance of oceanic whitecaps. *Appl. Opt.*, **23**, 1,816-1,824.
- Kostkowski, H.J., and F.E. Nicodemus, 1978: "An introduction to the measurement equation." In: F.E. Nicodemus, Ed., *Self-Study Manual on Optical Radiation Measurements, Part 1-Concepts*, *NBS Tech. Note 910-2*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 58-104.
- Kou, L., D. Labrie, and P. Chylek, 1993: Refractive indices of water and ice in the 0.65-2.5 μm spectral range. *Appl. Opt.*, **32**, 3,531-3,540.
- Kwok, J., 1987: *The Artificial Satellite Analysis Program*, Computer Software Management and Information Center, Athens, Georgia, 92 pp.
- Land, P.E., and J.D. Haigh, 1996: Atmospheric correction over case 2 waters with an iterative fitting algorithm, *Appl. Opt.*, **35**, 5,443-5,451.
- Landry, M.R., 1993: Estimating rates of growth and grazing mortality of phytoplankton by the dilution method. In: *Handbook of Methods in Aquatic Microbial Ecology*, P.F. Kemp, B.F. Sherr, E.B. Sherr, and J.J. Cole, Eds., Lewis Publishers, Boca Raton, Florida, 714-722.
- Lane, A.P., and W.M. Irvine, 1973: Monochromatic phase curves and albedos for the lunar disk. *Astron. J.*, **78**, 267-277.
- Lang, K.R., 1980: *Astrophysical Formulae*, Second Edition, Springer-Verlag, New York, 783 pp.
- Larason, T.C., S.B. Bruce, and C.L. Cromer, 1996: The NIST high accuracy scale for absolute spectral response from 406 nm to 920 nm. *J. Res. NIST*, **101**, 133-140.
- Latasa, M., R.R. Bidigare, M.E. Ondrusek, M.C. Kennicutt II, 1996: HPLC analysis of algal pigments: A comparison exercise among laboratories and recommendations for improved analytical performance. *Mar. Chem.*, **51**, 315-324.
- , —, —, and —, 1999: On the measurement of pigment concentrations by monochromator and diode-array spectrophotometers. *Mar. Chem.*, **66**, 253-254.
- Lazin, G., 1998: Correction Methods for Low-Altitude Remote Sensing of Ocean Color. *M.Sc. Thesis*, Dalhousie University, Halifax, Nova Scotia, 98 pp.
- , S. Hooker, G. Zibordi, S. McLean, and M.R. Lewis, 1998: In-water and above-water measurements of ocean color. *Proc. Ocean Optics XIV*, Office of Naval Research, Washington, DC, [Available on CD-ROM].
- Leckner, B., 1978: The spectral distribution of solar radiation at the Earth's surface—Elements of a model. *Solar Energy*, **20**, 143-150.
- Lee, Z.P., K.L. Carder, R.G. Steward, T.G. Peacock, C.O. Davis, and J.L. Mueller, 1996: Remote sensing reflectance and inherent optical properties of oceanic waters derived from above-water measurements. *Proc. SPIE*, **2963**, 160-166.
- , —, —, —, —, and J.S. Patch, 1998: An empirical ocean color algorithm for light absorption coefficients of optically deep waters. *J. Geophys. Res.*, **103**, 27,967-27,978.
- Liu, B.Y.H., and K.W. Lee, 1976: Efficiency of membrane Nucleopore filters for submicrometer aerosols. *Env. Sci. Tech.*, **10**, 345-50.
- Liu, K., 1978: "Earth oblateness modeling." In: Wertz, J.R., *Spacecraft Attitude Determination and Control*, D. Reidel Publishing Company, Dordrecht, Holland, 98-102.
- Loisel, H., and A. Morel, 1998: Light scattering and chlorophyll concentration in case 1 waters: A reexamination. *Limnol. Oceanogr.*, **43**, 847-858.

- M -

- Maffione, R.A., and D.R. Dana, 1997: Instruments and methods for measuring the backward-scattering coefficient of ocean waters. *Appl. Opt.*, **36**, 6,057-6,067.

- Mantoura, R.F.C., and E.M.S. Woodward, 1983: Optimization of the indophenol blue method for the automated determination of ammonia in estuarine waters. *Estuar. Coastal Shelf Sci.*, **17**, 219–224.
- , and D.J. Repeta, 1997: Calibration method for HPLC. In: *Phytoplankton Pigments in Oceanography: Guidelines to Modern Methods*. S.W. Jeffrey, R.F.C. Mantoura, and S.W. Wright, Eds., UNESCO Publishing, Paris, 407–428.
- , S.W. Wright, S.W. Jeffrey, R.G. Barlow, and D.G. Cummings, 1997: "Phytoplankton pigments in oceanography: Guidelines to modern methods." In: S.W. Jeffrey, R.F.C. Mantoura, and S.W. Wright, Eds., UNESCO Monograph in Oceanographic Methods. *Report for SCOR WH 78, SCOR-UNESCO Monographs on Oceanographic Methodology*. Paris, France, 662 pp.
- Marggraf, W.A., and M. Griggs, 1969: Aircraft measurements and calculations of the total downward flux of solar radiation as a function of altitude. *J. Atmos. Sci.*, **26**, 469–477.
- Maritorena, S., A. Morel, and B. Gentili, 1994: Diffuse reflectance of oceanic shallow water: Influence of water depth and bottom albedo. *Limnol. Oceanogr.*, **39**, 1,689–1,703.
- , and J.E. O'Reilly, 2000: "OC2v2: Update on the initial operational SeaWiFS chlorophyll *a* algorithm." In: O'Reilly, J.E., and 24 Coauthors, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3. *NASA Tech. Memo. 2000-206892, Vol. 11*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–8.
- McClain, C.R., 2000: "SeaWiFS postlaunch calibration and validation overview." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 4–12.
- , W.E. Esaias, W. Barnes, B. Guenther, D. Endres, S.B. Hooker, B.G. Mitchell, and R. Barnes, 1992: SeaWiFS Calibration and Validation Plan. *NASA Tech. Memo. 104566, Vol. 3*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 41 pp.
- , R.H. Evans, J.W. Brown, and M. Darzi, 1995: "SeaWiFS quality control masks and flags: initial algorithms and implementation strategy." In: McClain, C.R., W.E. Esaias, M. Darzi, F.S. Patt, R.H. Evans, J.W. Brown, K.R. Arrigo, C.W. Brown, R.A. Barnes, and L. Kumar, Case Studies for SeaWiFS Calibration and Validation, Part 4. *NASA Tech. Memo. 104566, Vol. 28*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–7.
- , M. Darzi, R.A. Barnes, R.E. Eplee, Jr., J.K. Firestone, F.S. Patt, W.D. Robinson, B.D. Schieber, R.H. Woodward, and E-n. Yeh, 1996: SeaWiFS Calibration and Validation Quality Control Procedures. *NASA Tech. Memo. 104566, Vol. 38*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 68 pp.
- , M.L. Cleave, G.C. Feldman, W.W. Gregg, S.B. Hooker, and N. Kuring, 1998: Science quality SeaWiFS data for global biosphere research. *Sea Technol.*, **39**, 10–16.
- , and G.S. Fargion, 1999a: SIMBIOS Project 1998 Annual Report. *NASA Tech. Memo. 1999-208645*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 105 pp.
- , and —, 1999b: SIMBIOS Project 1999 Annual Report, *NASA Tech. Memo. 1999-209486*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 128 pp.
- , E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000a: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 82 pp.
- , R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, 2000b: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 57 pp.
- McLean, S., S. Feener, J. Scrutton, M. Small, S. Hooker, and M. Lewis, 1998: SQM-II: A commercial portable light source for field radiometer quality assurance. *Proc. Ocean Opt. XIV*, [Available on CD-ROM], Office of Naval Research, Washington, DC.
- Mitchell, B.G., and D.A. Kiefer, 1988: Chlorophyll-*a* specific absorption and fluorescence excitation spectra for light-limited phytoplankton, *Deep-Sea Res.*, **35**, 639–663.
- , and O. Holm-Hansen, 1991: Bio-optical properties of Antarctic Peninsula waters: differentiation from temperate ocean models. *Deep-Sea Res.*, **38**, 1,009–1,028.
- Mobley, C.D., 1999: Estimation of the remote-sensing reflectance from above-surface measurements. *Appl. Opt.*, **38**, 7,442–7,455.
- Monahan, E.C., 1971: Oceanic whitecaps. *J. Phys. Oceanogr.*, **1**, 139–144.
- Moore, G.K., 1980: Satellite remote sensing of water turbidity. *Bull. Hydrolog. Sci.*, **25**, 407–421.
- , J. Aiken, N. Rees, and S. Hooker, 1997: Remote Sensing of Bio-Optical Provinces. Abstract. *Proc. 23rd Annual Conf. Exhib. Remote Sens. Soc.*, 545–550.
- , J. Aiken, and S.J. Lavender, 1999: The atmospheric correction of water colour and the quantitative retrieval of suspended particulate matter in Case II waters application to MERIS, *Int. J. Remote Sens.*, **20**, 1,713–1,734.
- Moore, K.D., K.J. Voss, and H.R. Gordon, 1998: Spectral reflectance of whitecaps: Instrumentation, calibration, and performance in coastal waters. *J. Atmos. Ocean. Technol.*, **15**, 496–509.
- , —, and —, 2000: Spectral reflectance of whitecaps: Their contribution to water-leaving radiance. *J. Geophys. Res.*, **105**, 6,493–6,499.
- Morel, A., 1974: "Optical properties of pure water and pure seawater." In: *Optical Aspects of Oceanography*, N.G. Jerlov and E. Steemann Nielsen, Eds., Academic Press, San Diego, California, 1–24.
- , 1980: In-water and remote measurements of ocean color. *Bound.-Layer Meteorol.*, **18**, 177–201.

- , 1988: Optical modeling of the upper ocean in relation to its biogenous matter content (Case I waters). *J. Geophys. Res.*, **93**, 10,749–10,768.
- , and L. Prieur, 1977: Analysis of variations in ocean color. *Limnol. Oceanogr.*, **22**, 709–722.
- , and A. Bricaud, 1981: Theoretical results concerning light absorption in a discrete medium, and application to specific absorption by phytoplankton. *Deep-Sea Res.*, **28**, 1,375–1,393.
- , and Y.-H. Ahn, 1990: Optical efficiency factors of free-living marine bacteria: Influence of bacterioplankton upon the optical properties and particulate organic carbon in oceanic waters, *J. Mar. Res.*, **48**, 145–175.
- , and B. Gentili, 1991: Diffuse reflectance of oceanic waters: its dependence on sun angle as influenced by the molecular scattering contribution. *Appl. Opt.*, **30**, 4,427–4,438.
- , and —, 1996: Diffuse reflectance of oceanic waters. III. Implication of bidirectionality for the remote sensing problem, *Appl. Opt.*, **35**, 4,850–4,862.
- , and S. Maritorena, 2001: Bio-optical properties of oceanic waters: a reappraisal. *J. Geophys. Res.*, **106**, 7,163–7,180.
- , and J.L. Mueller, 2002: "Normalized water-leaving radiance and remote sensing reflectance: Bidirectional reflectance and other factors." In: J.L. Mueller and G.S. Fargion, Eds., Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 3, Vol. 2. *NASA Tech. Memo. 2002-210004*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 183–210.
- , D. Antoine, and B. Gentili, 2002: Bidirectional reflectance of oceanic waters: Accounting for Raman emission and varying particle scattering phase function. *Appl. Opt.*, **41**, 6,289–6,306.
- Morris, A.W., R.J.M. Howland, and A.J. Bale, 1978: A filtration unit for use with continuous autoanalytical systems applied to highly turbid waters. *Estuar. Coastal Mar. Sci.*, **6**, 105–109.
- Mueller, J.L., 1984: Effects of water reflectance at 670 nm on Coastal Zone Color Scanner (CZCS) aerosol radiance estimates off the coast of central California. *Ocean Optics VII, Proc. SPIE*, **489**, Bellingham, Washington, 179–186.
- , 1993: The First SeaWiFS Intercalibration Round-Robin Experiment, SIRREX-1, July 1992. *NASA Tech. Memo. 104566, Vol. 14*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 60 pp.
- , 1995a: "An integral method for analyzing irradiance and radiance attenuation profiles." In: Siegel, D.A., M.C. O'Brien, J.C. Sorensen, D.A. Konnoff, E.A. Brody, J.L. Mueller, C.O. Davis, W.J. Rhea, and S.B. Hooker, Results of the SeaWiFS Data Analysis Round-Robin (DARR-94), July 1994. *NASA Tech. Memo. 104566, Vol. 26*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 44–52.
- , 1995b: "Comparison of irradiance immersion coefficients for several Marine Environmental Radiometers (MERs)." In: Mueller, J.L., R.S. Fraser, S.F. Biggar, K.J. Thome, P.N. Slater, A.W. Holmes, R.A. Barnes, C.T. Weir, D.A. Siegel, D.W. Menzies, A.F. Michaels and G. Podesta, Case Studies for SeaWiFS Calibration and Validation, Part 3. *NASA Tech. Memo. 104566, Vol. 27*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 3–15.
- , 1996: MER-2040 SN 8728: Irradiance Immersion Factors, *CHORS Tech. Memo. 004-96*, Center for Hydro-Optics and Remote Sensing, San Diego State University, San Diego, California, 3 pp.
- , 2000a: "SeaWiFS algorithm for the diffuse attenuation coefficient, $K(490)$, using water-leaving radiances at 490 and 555 nm." In: O'Reilly, J.E., and 24 Coauthors, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3. *NASA Tech. Memo. 2000-206892, Vol. 11*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24–27.
- , 2000b: "In-water radiometric profile measurements and data analysis protocols." In: Fargion, G.S., and J.L. Mueller, Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 2. *NASA Tech. Memo. 2000-209966*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 87–97.
- , 2000c: "Overview of Measurement and Data Analysis Protocols." In: G.S. Fargion and J.L. Mueller, Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 2. *NASA Tech. Memo. 2000-209966*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 87–97.
- , 2002: "Overview of Measurement and Data Analysis Protocols." In: J.L. Mueller and G.S. Fargion, Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 3, Volume 1. *NASA Tech. Memo. 2002-210004/Rev3-Vol1*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 123–137.
- , and R.W. Austin, 1992: Ocean Optics Protocols for SeaWiFS Validation. *NASA Tech. Memo. 104566, Vol. 5*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 43 pp.
- , B.C. Johnson, C.L. Cromer, J.W. Cooper, J.T. McLean, S.B. Hooker, and T.L. Westphal, 1994: The Second SeaWiFS Intercalibration Round-Robin Experiment, SIRREX-2, June 1993. *NASA Tech. Memo. 104566, Vol. 16*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 121 pp.
- , and R.W. Austin, 1995: Ocean Optics Protocols for SeaWiFS Validation, Revision 1. *NASA Tech. Memo. 104566, Vol. 25*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 67 pp.
- , B.C. Johnson, C.L. Cromer, S.B. Hooker, J.T. McLean, and S.F. Biggar, 1996: The Third SeaWiFS Intercalibration Round-Robin Experiment, SIRREX-3, September 1994. *NASA Tech. Memo. 104566, Vol. 34*, S.B. Hooker, E.R. Firestone, and J.G. Acker, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 78 pp.

- , and C.C. Trees, 1997: "Revised SeaWiFS prelaunch algorithm for the diffuse attenuation coefficient $K(490)$." In: Yeh, E.-n., R.A. Barnes, M. Darzi, L. Kumar, E.A. Early, B.C. Johnson, and J.L. Mueller, Case Studies for SeaWiFS Calibration and Validation, Part 4. *NASA Tech. Memo. 104566, Vol. 41*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 18–21.
- , and A. Morel, 2002: "Fundamental Definitions, Relationships and Conventions." In: J.L. Mueller and G.S. Fargion, Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 3, Volume 1. *NASA Tech. Memo. 2002-210004/Rev3-Vol1*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 10–28.
- , C. Pietras, S.B. Hooker, D.K. Clark, A. Morel, R. Frouin, B.G. Mitchell, R.R. Bidigare, C. Trees, J. Werdell, G.S. Fargion, R. Arnone, R.W. Austin, S. Bailey, W. Broenkow, S.W. Brown, K. Carder, C. Davis, J. Dore, M. Feinholz, S. Flora, Z.P. Lee, B. Holben, B.C. Johnson, M. Kahru, D.M. Karl, Y.S. Kim, K.D. Knobelspiesse, C.R. McClain, S. McLean, M. Miller, C.D. Mobley, J. Porter, R.G. Steward, M. Stramska, L. Van Heukelem, K. Voss, J. Wieland, M.A. Yarbrough, and M. Yuen, 2002a: Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 3, Volume 1. *NASA Tech. Memo. 2002-210004/Rev3-Vol1*, J.L. Mueller and G.S. Fargion, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 137 pp.
- , C. Davis, R. Arnone, R. Frouin, K. Carder, Z.P. Lee, R.G. Steward, S. Hooker, C.D. Mobley, and S. McLean, 2002b: "Above-Water Radiance and Remote Sensing Reflectance Measurement and Analysis Protocols." In: J.L. Mueller and G.S. Fargion, Ocean Optics Protocols for Satellite Ocean Color Sensor Validation, Revision 3, Volume 2. *NASA Tech. Memo. 2002-210004/Rev3-Vol2*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 171–182.
- Muller-Karger, F., C.R. McClain, and P. Richardson, 1988: The dispersal of the Amazon water. *Nature*, **333**, 56–59.
- N —
- Neckel, H., and D. Labs, 1984: The solar radiation between 3,300 and 12,500 Å. *Solar Physics*, **90**, 205–258.
- Nicodemus, F.E., 1978: "More on the distribution of optical radiation with respect to position and direction." In: F.E. Nicodemus, Ed., Self-Study Manual on Optical Radiation Measurements, Part 1—Concepts, *NBS Tech. Note 910-2*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 1–57.
- O —
- O'Reilly, J.E., and C. Zetlin, 1998: Seasonal, Horizontal, and Vertical Distribution of Phytoplankton Chlorophyll *a* in the Northeast U.S. Continental Shelf Ecosystem. *NOAA Tech. Report NMFS*, **39**, Fishery Bulletin, 120 pp.
- , S. Maritorena, B.G. Mitchell, D.A. Siegel, K.L. Carder, S.A. Garver, M. Kahru, and C. McClain, 1998: Ocean color chlorophyll algorithms for SeaWiFS. *J. Geophys. Res.*, **103**, 24,937–24,953.
- , S. Maritorena, M.C. O'Brien, D.A. Siegel, D. Toole, B.G. Mitchell, M. Kahru, F.P. Chavez, P. Strutton, G.F. Cota, S.B. Hooker, C.R. McClain, K.L. Carder, F. Müller-Karger, L. Harding, A. Magnuson, D. Phinney, G.F. Moore, J. Aiken, K.R. Arrigo, R. Letelier, M. Culver, 2000: "Ocean color chlorophyll *a* algorithms for SeaWiFS, OC2, and OC4: Version 4," In: O'Reilly, J.E., and 24 Coauthors, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3. *NASA Tech. Memo. 2000-206892, Vol. 11*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 9–23.
- O'Shea, D.C., 1985: *Elements of Modern Optical Design*, John Wiley and Sons, New York, 402 pp.
- Owens, N.J.P., and A.P. Rees, 1989: Determination of Nitrogen-15 at submicrogram levels of nitrogen using automated continuous-flow isotope ratio mass spectrometry. *Analyst*, **114**, 1,655–1,657.
- P —
- Pagano, T.S., and R.M. Durham, 1993: Moderate Resolution Imaging Spectroradiometer (MODIS). *SPIE*, **1939**, 2–17.
- Pak, H., J.R.V. Zaneveld, and G.F. Beardsley, 1971: Mie scattering by suspended clay particles. *J. Geophys. Res.*, **76**, 5,065–5,069.
- Palmer, K.F., and D. Williams, 1974: Optical properties of water in the near infrared. *J. Opt. Soc. Amer.*, **66**, 1,107–1,110.
- Partensky, F., N. Hoepffner, W.K.W. Li, O. Ulloa, and D. Vaultot, 1993: Photoacclimation of *Prochlorococcus* sp. (Prochlorophyta) strains isolated from the North Atlantic and the Mediterranean Sea. *Plant Physiol.*, **101**, 285–296.
- Patt, F.S., 1999: "Assessment of geolocation for SeaWiFS and OCTS using island targets." *Proc. CNES Seminar, In-orbit characterization of optical imaging systems*, Bordeaux, France, November 1999.
- , 2002: Navigation Algorithms for the SeaWiFS Mission. *NASA Tech. Memo. 2002-206892, Vol. 16*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 17 pp.
- , and W.W. Gregg, 1994: Exact closed-form geolocation algorithm for Earth survey sensors. *Inter. J. Remote Sens.*, **15**, 3,719–3,734.
- , R.H. Woodward, and W.W. Gregg, 1997: An automated method for navigation assessment for Earth survey sensors using island targets. *Inter. J. Remote Sens.*, **18**, 3,311–3,336.
- , and S. Bilanow, 2001: "Horizon scanner triggering height analysis for OrbView-2." *Proc. 2001 Flight Mechanics Symp., NASA Contractor Rept., 2001-209986*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 559–573.
- Petzold, T.J., and R.W. Austin, 1988: Characterization of MER 1032. *Tech. Memo. EN-001-88t*, Vis. Lab., Scripps Institution of Oceanography, La Jolla, California, 56 pp. plus appendices.
- Pinkerton, M.H., and J. Aiken, 1999: Calibration and validation of remotely-sensed observations of ocean colour from a moored data buoy. *J. Atmos. Oceanic Technol.*, **16**, 915–923.

- Podesta, G., 1995: "SeaWiFS Global Fields: What's In a Day?" In: Mueller, J.L., R.S. Fraser, S.F. Biggar, K.J. Thome, P.N. Slater, A.W. Holmes, R.A. Barnes, C.T. Weir, D.A. Siegel, D.W. Menzies, A.F. Michaels, and G. Podesta: Case Studies for SeaWiFS Calibration and Validation, Part 3. *NASA Tech. Memo. 104566, Vol. 27*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 34–42.
- Pope, R.M., and E.S. Fry, 1997: Absorption spectrum (380–700 nm) of pure water, II. Integrating cavity measurements. *Appl. Opt.*, **36**, 8,710–8,723.
- Press, W.H., and S.A. Teukolsky, 1992: Fitting straight line data with errors in both coordinates. *Computers in Phys.*, **6**, 274–276.
- , —, W.T. Vetterling, and B.P. Flannery, 1992: *Numerical Recipes in C: The Art of Scientific Computing*. Cambridge University Press, 994 pp.
- Priesendorfer, R.W., and C.D. Mobley, 1986: Albedos and glitter patterns of a wind roughened sea surface. *J. Phys. Oceanogr.*, **16**, 1,293–1,316.
- Q –
- Quinn, P.K., 1988: Simultaneous observations of ammonia in the ocean and atmosphere in the remote marine environment. *Ph.D. Thesis*, University of Washington, Seattle, Washington, 138 pp.
- , R.J. Charlson, and T.S. Bates, 1988: Simultaneous observations of ammonia in the atmosphere and ocean. *Nature*, **335**, 336–338.
- , T.S. Bates, J.E. Johnson, J.E. Covert, and R.J. Charlson, 1990: Interactions between the sulfur and reduced nitrogen cycles over the central Pacific Ocean. *J. Geophys. Res.*, **95**, 16,405–16,416.
- R –
- Remer, L.A., Y.J. Kaufman, and B.N. Holben, 1996: "The size distribution of ambient aerosol particles: smoke vs. urban/industrial aerosol." In: *Biomass Burning and Global Change*, J.S. Levine, Ed., MIT Press, Cambridge, Massachusetts, 519–530.
- Reuter, R., 1980: Characterization of marine particle suspensions by light scattering. II. Experimental results. *Oceanol. Acta*, **3**, 325–332.
- Ricker, W.E., 1973: Linear regressions in fishery research. *J. Fish. Res. Board Canada*, **30**, 409–434.
- Riley, T., and S. Bailey, 1998: The Sixth SeaWiFS/SIMBIOS Intercalibration Round-Robin Experiment (SIRREX-6) August–December 1997. *NASA Tech. Memo. 1998–206878*, NASA Goddard Space Flight Center, Greenbelt, Maryland, 26 pp.
- Robins, D.B., A.J. Bale, G.F. Moore, N.W. Rees, S.B. Hooker, C.P. Gallienne, A.G. Westbrook, E. Marañón, W.H. Spooner, and S.R. Laney, 1996: AMT-1 Cruise Report and Preliminary Results. *NASA Tech. Memo. 104566, Vol. 35*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 87 pp.
- Robinson, N., 1966: *Solar Radiation*. American Elsevier, New York, 347 pp.
- Robinson, W.D., and M. Wang, 2000: "Vicarious calibration of SeaWiFS band 7." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000–206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 38–42.
- , G.M. Schmidt, C.R. McClain, and P.J. Werdell, 2000: "Changes made in the operational SeaWiFS processing." In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000–206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 12–28.
- Ruddick, K.G., F. Ovidio, and M. Rijkeboer, 2000: Atmospheric correction of SeaWiFS imagery for turbid coastal and inland waters. *Appl. Opt.*, **39**, 897–912.
- S –
- Sagan, S., A.R. Weeks, I.S. Robinson, G.F. Moore, and J. Aiken, 1995: The relationships between the beam attenuation coefficient and chlorophyll concentration and reflectance in Antarctic waters. *Deep-Sea Res.*, **42**, 983–996.
- Sakuma, F., B.C. Johnson, S.F. Biggar, J.J. Butler, J.W. Cooper, M. Hiramatsu, and K. Suzuki, 1996: EOS AM-1 pre-flight radiometric measurement comparison using the Advanced Spaceborne Thermal Emission and Reflection radiometer (ASTER) visible/near-infrared integrating sphere. *SPIE*, **2820**, 184–196.
- Saunders, R.D., and J.B. Shumaker, 1977: Optical Radiation Measurements: The 1973 NBS Scale of Spectral Irradiance. *NBS Tech. Note 594-13*, National Bureau of Standards, Gaithersburg, Maryland, 29 pp.
- , and —, 1984: Automated radiometric linearity tester. *Appl. Opt.*, **23**, 3,504–3,506.
- Shaw, P.-S., B.C. Johnson, S.B. Hooker, and D. Lynch, 1997: The SeaWiFS Quality Monitor—a portable field calibration light source. *Proc. SPIE*, **2963**, 772–776.
- Shettle, E.P., and R.W. Fenn, 1979: Models for the Aerosols of the Lower Atmosphere and the Effects of Humidity Variations on Their Optical Properties. *AFGL-TR-79-0214*, U.S. Air Force Geophysics Laboratory, Hanscom Air Force Base, Massachusetts, 94 pp.
- Shimada, M., H. Oaku, Y. Mitomi, H. Murakami, A. Mukaida, J. Ishizaka, H. Kawamura, T. Tanaka, M. Kishino, and H. Fukushima, 1998: Calibration and validation of Ocean Color Version-3 Product from ADEOS OCTS. *J. Oceanogr.*, **54**, 401–416.
- Siegel, D.A., M.C. O'Brien, J.C. Sorensen, D.A. Konnoff, E.A. Brody, J.L. Mueller, C.O. Davis, W.J. Rhea, and S.B. Hooker, 1995: Results of the SeaWiFS Data Analysis Round-Robin (DARR-94), July 1994. *NASA Tech. Memo. 104566, Vol. 26*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 58 pp.

- , M. Wang, S. Maritorena, and W. Robinson, 2000: Atmospheric correction of satellite ocean color imagery: The black pixel assumption. *Appl. Opt.*, **39**, 3,582–3,591.
- Sildam, J., M.R. Lewis, and J.C. Cullen, 1998: Multiresolution analysis of diffuse attenuation coefficient with an emphasis on surface and deep layers, *Ocean Optics XIV*.
- Slater, P.N., and J.M. Palmer, 1991: Solar-diffuser panel and ratioing radiometer approach to satellite sensor on-board calibration. *SPIE*, **1493**, 100–105.
- , Biggar, S.F., J.M. Palmer, and K.J. Thome, 2001: Unified approach to absolute radiometric calibration in the solar-reflective range. *Remote Sens. Environ.*, **77**, 293–303.
- Sloss, P.W., 1988: Digital Relief of the Surface of the Earth. *Data Announcement 88-MGG-02*, NOAA, National Geophysical Data Center, Boulder, Colorado, 2 pp.
- , 2001: ETOPO2 Database on CD-ROM, NOAA, National Geophysical Data Center, Boulder, Colorado, USA.
- Smirnov, A., B.N. Holben, O. Dubovik, N.T. O'Neill, L.A. Remer, T.F. Eck, I. Slutsker, and D. Savoie, 2000: Measurement of atmospheric optical parameters on U.S. Atlantic coast sites, ships and Bermuda during TARFOX, *J. Geophys. Res.*, **105**, 9,887–9,901.
- Smith, E.V.P., and D.M. Gottlieb, 1974: Solar flux and its variation. *Space Sci. Rev.*, **16**, 771–802.
- Smith, R.C., and K.S. Baker, 1978: Optical classification of natural waters. *Limnol. Oceanogr.*, **23**, 260–267.
- , and —, 1981: Optical properties of the clearest natural waters (200–800 nm). *Appl. Opt.*, **20**, 177–184.
- , and W.H. Wilson, 1981: Ship and satellite bio-optical research in the California Bight. *Oceanography from Space*, J.F.R. Gower, Ed., Plenum Press, 281–294.
- , and —, 1984: The analysis of ocean optical data. *Ocean Optics VII*, M. Blizard, Ed., *SPIE*, **478**, 119–126.
- , and —, 1986: Analysis of ocean optical data II. *Ocean Optics VIII*, P.N. Slater, Ed., *SPIE*, **637**, 95–107.
- , D.A. Menzies, and C.R. Booth, 1997: Oceanographic Bio-Optical Profiling System II, *Ocean Optics XIII*, S.G. Ackelson and R. Frouin, Eds., *Proc. SPIE*, **2963**, 777–789.
- Stout, D.F., 1976: *Handbook of Operational Amplifier Design*, M. Kaufman, Ed., McGraw-Hill, New York, 317 pp.
- Stramski, D., and D.A. Kiefer, 1991: Light scattering by microorganisms in the open ocean, *Prog. Oceanogr.*, **28**, 343–383.
- , and C.D. Mobley, 1997: Effects of microbial particles on ocean optics: A database of single-particle optical properties, *Limnol. Oceanogr.*, **42**, 538–549.
- Strickland, J.D.H., and T.R. Parsons, 1972: *A Practical Handbook of Sea Water Analysis*. Fish. Res. Board. Canada, 310 pp.
- Stumpf, R.P., and M.A. Tyler, 1988: Satellite detection of bloom and pigment distributions in estuaries. *Remote Sens. Environ.*, **24**, 385–404.
- , and J.R. Pennock, 1989: Calibration of a general optical equation for remote sensing of suspended sediment in a moderately turbid estuary. *J. Geophys. Res.*, **94**, 14,363–14,371.
- Sturm, B., and G. Zibordi, 2002: SeaWiFS atmospheric correction by an approximate model and vicarious calibration, *Int. J. Remote Sens.*, **23**, 489–501.
- Subramaniam, A., R.R. Hood, C.W. Brown, E.J. Carpenter, and D.G. Capone, 2001: Detecting *Trichodesmium* blooms in SeaWiFS imagery. *Deep-Sea Res.*, **49**, 107–121.
- Sydor, M., and R.A. Arnone, 1997: Effect of suspended particulate and dissolved organic matter on remote sensing of coastal and riverine waters. *Appl. Opt.*, **36**, 6,905–6,912.

– T –

- Tanré, D., M. Herman, P.Y. Deschamps, and A. de Lefte, 1979: Atmospheric modeling for space measurements of ground reflectances, including bidirectional properties. *Appl. Opt.*, **18**, 213,587–213,597.
- , C. Deroo, P. Duhaut, M. Herman, J.J. Morcrette, J. Perbos, and P.Y. Deschamps, 1990: Description of a computer code to simulate the satellite signal in the solar spectrum: The 5S code. *Int. J. Remote Sens.*, **11**, 656–668.
- Tassan, S., and M. Ferrari, 1995: An alternative approach to absorption measurements of aquatic particles retained on filters. *Limnol. Oceanogr.*, **40**, 1,358–1,368.
- , and —, 2002: A Sensitivity analysis of the “Transmittance-Reflectance” method for measuring light absorption by aquatic particles. *J. Plankton Res.*, **24**, 757–774.
- Taylor, B.N., and C.E. Kuyatt, 1994: Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results. *NIST Tech. Note 1297*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 20 pp.
- Tegen, I., and A.A. Lacis, 1996: Modeling of particle size distribution and its influence on the radiative properties of mineral dust aerosol, *J. Geophys. Res.*, **101**, 19,237–19,244.
- Thompson, A., and H-M. Chen, 1994: Beamcon III, a linearity measurement instrument for optical detectors. *J. Res. NIST*, **99**, 751–755.
- Thuillier, G., M. Hersé, P.C. Simon, D. Labs, H. Mandel, and D. Gillotay, 1998a: Observation of the solar spectral irradiance from 200 to 870 nm during the ATLAS 1 and 2 missions by the SOLSPEC spectrometer. *Metrologia*, **35**, 689–695.
- , —, —, —, —, —, and T. Foujols, 1998b: The visible solar spectral irradiance from 350 to 850 nm as measured by the SOLSPEC spectrometer during the Atlas I mission. *Solar Physics*, **177**, 41–61.
- , —, —, —, —, —, and —, 2003: The solar spectral irradiance from 200 to 2400 nm as measured by the SOLSPEC spectrometer from the Atlas 1-2-3 and EURECA missions. *Solar Physics*, **214**, 1–22.
- Tsai, B.K., and B.C. Johnson, 1998: Radiometric traceability for fundamental measurements: Estimation and evaluation of combined standard uncertainties, *Metrologia*, **35**, 587–593.

Twardowski, M.S., J.M. Sullivan, P.L. Donaghay, and J.R. Zaneveld, 1999: Microscale quantification of the absorption by dissolved and particulate material in coastal waters with AC-9. *J. Atmos. Oceanic Technol.*, **16**, 691-707.

Tyler, J.E., and R.C. Smith, 1970: *Measurements of Spectral Irradiance Underwater*. Gordon and Breach, New York, 103 pp.

- U -

UNESCO, 1981: Tenth report of the joint panel on oceanographic tables and standards. Sidney, British Columbia, September 1980, *UNESCO Tech. Papers Mar. Sci.*, **36**, 25 pp.

- V -

Vance, T.C., J.D. Schumacher, P.J. Staben, C.T. Baier, T. Wyllie-Echeverria, C.T. Tynan, R.D. Brodeur, J.M. Napp, K.O. Coyle, M.B. Decker, G.L. Hunt, Jr., D. Stockwell, T.E. Whitledge, M. Jump, and S. Zeeman, 1998: Aquamarine waters recorded for the first time in the Eastern Bering Sea. *EOS*, **79**, 121 and 126.

van der Linde, D., 2003: The AAOT Deployment Systems: An Overview. *EUR Report 20548 EN*, Joint Research Centre, Ispra, Italy, 13 pp.

Van Heukelem, L., and C.S. Thomas, 2001: Computer-assisted HPLC method development with applications to the isolation and analysis of marine phytoplankton pigments. *J. Chrom. A.*, **910**, 31-49.

Van Neste, A., R.A. Duce, and C. Lee, 1987: Methylamines in the marine atmosphere. *Geophys. Res. Lett.*, **14**, 711-714.

Verity, P.G., D.K. Stoecker, M.E. Sieracki, and J.R. Nelson, 1996: Microzooplankton grazing of primary production at 140°W in the equatorial Pacific. *Deep-Sea Res. II*, **43**, 1,227-1,255.

Vermote, E.F., D. Tanre, J.L. Deuze, M. Herman, and J-J. Morcrette, 1997: Second simulation of the satellite signal in the solar spectrum, 6S: An Overview. *IEEE Trans. Geosci. Remote Sens.*, **35**, 675-686.

Vesk, M., and S.W. Jeffrey, 1987: Ultrastructure and pigments of two strains of the picoplanktonic alga *Pelagococcus subviridis* (Chrysophyceae). *J. Phycol.*, **23**, 322-336.

Vidussi, F., H. Claustre, J. Bustillos-Guzmán, C. Cailliau, and J.C. Marty, 1996: Determination of chlorophylls and carotenoids of marine phytoplankton: separation of chlorophyll *a* from divinyl-chlorophyll *a* and zeaxanthin from lutein. *J. Plankton Res.*, **18**, 2,377-2,382.

Vigroux, E., 1953: *Contribution à l'étude expérimentale de l'absorption de l'ozone*. *Ann. Phys.*, **8**, 709-762.

Voss, K.J., 1992: A spectral model of the beam attenuation coefficient in the ocean and coastal areas, *Limnol. Oceanogr.*, **37**, 501-509.

- W, X -

Walker, J.H., R.D. Saunders, and A.T. Hattenburg, 1987a: Spectral Radiance Calibrations. *NBS Special Publication 250-1*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 68 pp.

—, —, J.K. Jackson, and D.A. McSparron, 1987b: Spectral Irradiance Calibrations. *NBS Special Publication 250-20*, U.S. Department of Commerce, National Institute of Standards and Technology, Washington, DC, 37 pp., plus Appendices.

—, and A. Thompson, 1994: Improved automated current control for standard lamps. *J. Res. NIST*, **99**, 255-261.

Wang, M., 1999a: Atmospheric correction of ocean color sensors: Computing atmospheric diffuse transmittance, *Appl. Opt.*, **38**, 451-455.

—, 1999b: A sensitivity study of the SeaWiFS atmospheric correction algorithm: Effects of spectral band variations. *Remote Sens. Environ.*, **67**, 348-359.

—, 2000: "The SeaWiFS atmospheric correction algorithm updates." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 57-63.

—, 2003: Correction of artifacts in the SeaWiFS atmospheric correction: Removing the discontinuity in the derived products. *Remote Sens. Environ.*, **84**, 603-611.

—, and H.R. Gordon, 1994: A simple, moderately accurate, atmospheric correction algorithm for SeaWiFS. *Remote Sens. Environ.*, **50**, 231-239.

—, and B. Franz, 2000: Comparing the ocean color measurements between MOS and SeaWiFS: A vicarious intercalibration approach for MOS. *IEEE Trans. Geosci. Remote Sens.*, **38**, 184-197.

—, and S.W. Bailey, 2000: "Correction of the sun glint contamination on the SeaWiFS aerosol optical thickness retrievals." In: McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892*, Vol. 9, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 64-68.

—, —, C.M. Pietras, and C.R. McClain, 2000a: "SeaWiFS aerosol optical thickness match-up analyses." In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892*, Vol. 10, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39-44.

—, B.A. Franz, and R.A. Barnes, 2000b: "Analysis of the SeaWiFS spectral band-pass effects." In: McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892*, Vol. 10, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 6-11.

—, and S.W. Bailey, 2001: Correction of sun glint contamination on the SeaWiFS ocean and atmospheric products. *Appl. Opt.*, **40**, 4,790-4,798.

- , B.A. Franz, R.A. Barnes, and C.R. McClain, 2001: Effect of spectral bandpass on SeaWiFS-retrieved near-surface optical properties of the ocean. *Appl. Opt.*, **40**, 343–348.
- Watanabe, T., A. Hongu, K. Honda, N. Masataka, M. Konno, and S. Saitoh, 1984: Preparation of chlorophylls and pheophytins by isocratic liquid chromatography. *Anal. Chem.*, **56**, 251–256.
- Waters, K.J., R.C. Smith, and M.R. Lewis, 1990: Avoiding ship-induced light-field perturbation in the determination of oceanic optical properties, *Oceanogr.*, **3**, 18–21.
- Wehrli, C., 1985: *Extraterrestrial Solar Spectrum*, Publ. 615, *Physikalisch-Meteorologisches Observatorium World Radiation Center*, Davos-Dorf, Switzerland, 23 pp.
- Welschmeyer, N.A., 1994: Fluorometric analysis of chlorophyll-*a* in the presence of chlorophyll-*b* and pheopigments. *Limnol. Oceanogr.*, **39**, 1,985–1,992.
- Wertz, J.R., 1978: Solar system constants (Appendix L). *Spacecraft Attitude Determination and Control*, D. Reidel Publishing Company, Dordrecht, Holland, 819.
- WETLabs, 2002: *AC-9 Protocol Document*. [World Wide Web page.] From URL: <http://www.wetlabs.com/Products/pub/ac9/> WETLabs, Inc., Philomath, Oregon.
- Woodward, R.H., R.A. Barnes, C.R. McClain, W.E. Esaias, W.L. Barnes, and A.T. Mecherikunnel, 1993: Modeling of the SeaWiFS Solar and Lunar Observations. *NASA Tech. Memo. 104566*, Vol. 10, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 26 pp.
- World Meteorological Organization, 1983: *Guide to the Meteorological Instruments and Methods of Observation*, WMO-N.8, 517 pp.
- Wright, S.W., S.W. Jeffrey, F.C. Mantoura, C.A. Llewellyn, T. Bjørnland, D. Repeta, and N. Welschmeyer, 1991: Improved HPLC method for the analysis of chlorophylls and carotenoids from marine phytoplankton. *Mar. Ecol. Prog. Ser.*, **77**, 183–196.
- Wyatt, C.L., 1978: *Radiometric Calibration: Theory and Methods*, Academic Press, New York, 200 pp.
- , 1987: *Radiometric System Design*, Macmillan Publishing Company, New York, 315 pp.
- Young, A.T., 1980: Revised depolarization corrections for atmospheric extinction. *Appl. Opt.*, **19**, 3,427–3,428.
- Young, D.F., P. Minnis, D.R. Doelling, G.G. Gibson, and T. Wong, 1998: Temporal interpolation methods for the clouds and Earth's Radiant Energy System (CERES) experiment. *J. Appl. Meteor.*, **37**, 572–590.
- , J.C. Kitchen, A. Bricaud, and C. Moore, 1992: Analysis of *in situ* spectral absorption meter data. *Ocean Optics XI, Proc. SPIE*, **1750**, 187–200.
- , —, and C. Moore, 1994: The scattering error coefficient of reflective absorption measurements, *Proc. SPIE, Ocean Optics XII*, **2,258**, 44–54.
- Zavatarelli, M., F. Raicich, D. Bregant, A. Russo, and A. Artegiani, 1998: Climatological biogeochemical characteristics of the Adriatic Sea. *J. Mar. System*, **18**, 227–263.
- Zege, E.P., A.P. Ivanov, and I.L. Katsev, 1991: *Image Transfer Through a Scattering Medium*. Springer-Verlag, New York, 349 pp.
- Zibordi, G., and M. Ferrari, 1995: Instrument self-shading in underwater optical measurements: Experimental data. *Appl. Opt.*, **34**, 2,750–2,754.
- , V. Barale, G.M. Ferrari, N. Hoepffner, L. Alberotanza, P. Cova, and C. Ramasco, 1995: Coastal Atmosphere and Sea Time-Series project (CoASTS): An ocean colour remote sensing calibration-validation project. *Proc. Third Thematic Conf. Remote Sens. Mar. Coastal Environ.*, Seattle, September 18–20, **2**, 96–100.
- , J.P. Doyle, and S.B. Hooker, 1999: Offshore tower shading effects on in-water optical measurements. *J. Atmos. Ocean. Technol.*, **16**, 1,767–1,779.
- , and J-F. Berthon, 2001: *In situ* relationships between *Q*-factor and seawater optical properties in a coastal region, *Limnol. Oceanogr.*, **46**, 1,130–1,140.
- , J-F. Berthon, J.P. Doyle, S. Grossi, D. van der Linde, C. Targa, and L. Alberotanza 2002a: Coastal Atmosphere and Sea Time Series (CoASTS), Part 1: A Tower-Based Long-Term Measurement Program. *NASA Tech. Memo. 2002-206892*, Vol. 19, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 29 pp.
- , S.B. Hooker, J-F. Berthon, and D. D'Alimonte, 2002b: Autonomous above-water radiance measurements from an offshore platform: A field assessment experiment. *J. Atmos. Oceanic Technol.*, **19**, 808–819.

– Y –

THE SEAWiFS POSTLAUNCH
TECHNICAL REPORT SERIESVol. 1

Johnson, B.C., J.B. Fowler, and C.L. Cromer, 1998: The SeaWiFS Transfer Radiometer (SXR). *NASA Tech. Memo. 1998-206892, Vol. 1*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 58 pp.

Vol. 2

Aiken, J., D.G. Cummings, S.W. Gibb, N.W. Rees, R. Woodd-Walker, E.M.S. Woodward, J. Woolfenden, S.B. Hooker, J-F. Berthon, C.D. Dempsey, D.J. Suggett, P. Wood, C. Donlon, N. González-Benítez, I. Huskin, M. Quevedo, R. Barciela-Fernandez, C. de Vargas, and C. McKee, 1998: AMT-5 Cruise Report. *NASA Tech. Memo. 1998-206892, Vol. 2*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 113 pp.

Vol. 3

Hooker, S.B., G. Zibordi, G. Lazin, and S. McLean, 1999: The SeaBOARR-98 Field Campaign. *NASA Tech. Memo. 1999-206892, Vol. 3*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 40 pp.

Vol. 4

Johnson, B.C., E.A. Early, R.E. Eplee, Jr., R.A. Barnes, and R.T. Caffrey, 1999: The 1997 Prelaunch Radiometric Calibration of SeaWiFS. *NASA Tech. Memo. 1999-206892, Vol. 4*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 51 pp.

Vol. 5

Barnes, R.A., R.E. Eplee, Jr., S.F. Biggar, K.J. Thome, E.F. Zalewski, P.N. Slater, and A.W. Holmes 1999: The SeaWiFS Solar Radiation-Based Calibration and the Transfer-to-Orbit Experiment. *NASA Tech. Memo. 1999-206892, Vol. 5*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 28 pp.

Vol. 6

Firestone, E.R., and S.B. Hooker, 2000: SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-5. *NASA Tech. Memo. 2000-206892, Vol. 6*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 14 pp.

Vol. 7

Johnson, B.C., H.W. Yoon, S.S. Bruce, P-S. Shaw, A. Thompson, S.B. Hooker, R.E. Eplee, Jr., R.A. Barnes, S. Maritorena, and J.L. Mueller, 1999: The Fifth SeaWiFS Inter-calibration Round-Robin Experiment (SIRREX-5), July 1996. *NASA Tech. Memo. 1999-206892, Vol. 7*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 75 pp.

Vol. 8

Hooker, S.B., and G. Lazin, 2000: The SeaBOARR-99 Field Campaign. *NASA Tech. Memo. 2000-206892, Vol. 8*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 46 pp.

Vol. 9

McClain, C.R., E.J. Ainsworth, R.A. Barnes, R.E. Eplee, Jr., F.S. Patt, W.D. Robinson, M. Wang, and S.W. Bailey, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 1. *NASA Tech. Memo. 2000-206892, Vol. 9*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 82 pp.

Vol. 10

McClain, C.R., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, N.C. Hsu, F.S. Patt, C.M. Pietras, W.D. Robinson, B.D. Schieber, G.M. Schmidt, M. Wang, S.W. Bailey, and P.J. Werdell, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 2. *NASA Tech. Memo. 2000-206892, Vol. 10*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 57 pp.

Vol. 11

O'Reilly, J.E., S. Maritorena, M.C. O'Brien, D.A. Siegel, D. Toole, D. Menzies, R.C. Smith, J.L. Mueller, B.G. Mitchell, M. Kahru, F.P. Chavez, P. Strutton, G.F. Cota, S.B. Hooker, C.R. McClain, K.L. Carder, F. Müller-Karger, L. Harding, A. Magnuson, D. Phinney, G.F. Moore, J. Aiken, K.R. Arrigo, R. Letelier, M. Culver, 2000: SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3. *NASA Tech. Memo. 2000-206892, Vol. 11*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, 49 pp.

Vol. 12

Firestone, E.R., and S.B. Hooker, 2001: SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-11. *NASA Tech. Memo. 2001-206892, Vol. 12*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24 pp.

Vol. 13

Hooker, S.B., G. Zibordi, J-F. Berthon, S.W. Bailey, and C.M. Pietras, 2000: The SeaWiFS Photometer Revision for Incident Surface Measurement (SeaPRISM) Field Commissioning. *NASA Tech. Memo. 2000-206892, Vol. 13*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 24 pp.

Vol. 14

Hooker, S.B., H. Claustre, J. Ras, L. Van Heukelem, J-F. Berthon, C. Targa, D. van der Linde, R. Barlow, and H. Sessions, 2000: The First SeaWiFS HPLC Analysis Round-Robin Experiment (SeaHARRE-1). *NASA Tech. Memo. 2000-206892, Vol. 14*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 42 pp.

Vol. 15

Hooker, S.B., G. Zibordi, J-F. Berthon, D. D'Alimonte, S. Maritorena, S. McLean, and J. Sildam, 2001: Results of the Second SeaWiFS Data Analysis Round Robin, March 2000 (DARR-00). *NASA Tech. Memo. 2001-206892, Vol. 15*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 71 pp.

Vol. 16

Patt, F.S., 2002: Navigation Algorithms for the SeaWiFS Mission. *NASA Tech. Memo. 2002-206892, Vol. 16*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 17 pp.

Vol. 17

Hooker, S.B., S. McLean, J. Sherman, M. Small, G. Lazin, G. Zibordi, and J.W. Brown, 2002: The Seventh SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-7), March 1999. *NASA Tech. Memo. 2002-206892, Vol. 17*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 69 pp.

Vol. 18

Firestone, E.R., and S.B. Hooker, 2003: SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-17. *NASA Tech. Memo. 2003-206892, Vol. 18*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 28 pp.

Vol. 19

Zibordi, G., J-F. Berthon, J.P. Doyle, S. Grossi, D. van der Linde, C. Targa, and L. Alberotanza 2002: Coastal Atmosphere and Sea Time Series (CoASTS), Part 1: A Tower-Based Long-Term Measurement Program. *NASA Tech. Memo. 2002-206892, Vol. 19*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 29 pp.

Vol. 20

Berthon, J-F., G. Zibordi, J.P. Doyle, S. Grossi, D. van der Linde, and C. Targa, 2002: Coastal Atmosphere and Sea Time Series (CoASTS), Part 2: Data Analysis. *NASA Tech. Memo. 2002-206892, Vol. 20*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 25 pp.

Vol. 21

Zibordi, G., D. D'Alimonte, D. van der Linde, J-F. Berthon, S.B. Hooker, J.L. Mueller, G. Lazin, and S. McLean, 2002: The Eighth SeaWiFS Intercalibration Round-Robin Experiment (SIRREX-8), September-December 2001. *NASA Tech. Memo. 2002-206892, Vol. 21*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 39 pp.

Vol. 22

Patt, F.S., R.A. Barnes, R.E. Eplee, Jr., B.A. Franz, W.D. Robinson, G.C. Feldman, S.W. Bailey, J. Gales, P.J. Werdell, M. Wang, R. Frouin, R.P. Stumpf, R.A. Arnone, R.W. Gould, Jr., P.M. Martinolich, V. Ransibrahmanakul, J.E. O'Reilly, and J.A. Yoder, 2003: Algorithm Updates for the Fourth SeaWiFS Data Reprocessing, *NASA Tech. Memo. 2003-206892, Vol. 22*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 74 pp.

Vol. 23

Hooker, S.B., G. Zibordi, J-F. Berthon, D. D'Alimonte, D. van der Linde, and J.W. Brown, 2003: Tower-Perturbation Measurements in Above-Water Radiometry. *NASA Tech. Memo. 2003-206892, Vol. 23*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 35 pp.

Vol. 24

Firestone, E.R., and S.B. Hooker, 2003: SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-23. *NASA Tech. Memo. 2003-206892, Vol. 24*, S.B. Hooker and E.R. Firestone, Eds., NASA Goddard Space Flight Center, Greenbelt, Maryland, 35 pp.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE August 2003	3. REPORT TYPE AND DATES COVERED Technical Memorandum	
4. TITLE AND SUBTITLE SeaWiFS Postlaunch Technical Report Series Volume 24: The SeaWiFS Postlaunch Technical Report Series Cumulative Index: Volumes 1-23			5. FUNDING NUMBERS Code 970.2	
6. AUTHOR(S) Elaine R. Firestone and Stanford B. Hooker Series Editors: Stanford B. Hooker and Elaine R. Firestone				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Laboratory for Hydrospheric Processes Goddard Space Flight Center Greenbelt, Maryland 20771			8. PERFORMING ORGANIZATION REPORT NUMBER 2003-01913-0	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Aeronautics and Space Administration Washington, D.C. 20546-0001			10. SPONSORING/MONITORING AGENCY REPORT NUMBER TM-2003-206892, Vol. 24	
11. SUPPLEMENTARY NOTES E.R. Firestone: Science Applications International Corporation, Beltsville, Maryland				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Unclassified-Unlimited Subject Category 48 Report is available from the Center for AeroSpace Information (CASI), 7121 Standard Drive, Hanover, MD 21076-1320. (301)621-0390			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The Sea-viewing Wide Field-of-view Sensor (SeaWiFS) is the follow-on ocean color instrument to the Coastal Zone Color Scanner (CZCS), which ceased operations in 1986, after an eight-year mission. SeaWiFS was launched on 1 August 1997, onboard the OrbView-2 satellite, built by Orbital Sciences Corporation (OSC). The SeaWiFS Project at the National Aeronautics and Space Administration (NASA) Goddard Space Flight Center (GSFC), undertook the responsibility of documenting all aspects of this mission, which is critical to the ocean color and marine science communities. The start of this documentation was titled the <i>SeaWiFS Technical Report Series</i> , which ended after 43 volumes were published. A follow-on series was started, titled the <i>SeaWiFS Postlaunch Technical Report Series</i> . This particular volume of the so-called <i>Postlaunch Series</i> serves as a reference, or guidebook, to the previous 23 volumes and consists of 4 sections including an errata, an index to key words and phrases, a list of acronyms used, and a list of all references cited. The editors will publish a cumulative index of this type after every five volumes.				
14. SUBJECT TERMS SeaWiFS, Oceanography, Cumulative, Index, Glossary, References, Postlaunch			15. NUMBER OF PAGES 35	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	